

HVAC and process pipes claddings

Material aluminium EN 3103H16

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentral €/pc	t-connection €/pc	end cap €/pc
-	12	20	70	3,02	4,81	3,15	10,51	11,77	11,36	1,54
-	15	20	70	3,02	4,81	3,15	10,51	11,77	11,36	1,54
10	18	20	70	3,02	4,81	3,15	10,51	11,77	11,36	1,54
15	22	20	76	3,20	4,83	3,16	10,65	11,97	11,55	1,55
20	28	20	76	3,20	4,83	3,16	10,65	11,97	11,55	1,55
25	35	20	86	3,51	4,34	2,83	10,79	12,17	11,69	1,58
32	42	20	96	3,81	4,43	2,87	10,94	12,37	11,84	1,61
40	48	20	96	3,81	4,43	2,87	10,94	12,37	11,84	1,61
-	12	30	86	3,51	4,34	2,83	10,79	12,17	11,69	1,58
-	15	30	86	3,51	4,34	2,83	10,79	12,17	11,69	1,58
10	18	30	86	3,51	4,34	2,83	10,79	12,17	11,69	1,58
15	22	30	96	3,81	4,43	2,87	10,94	12,37	11,84	1,61
20	28	30	96	3,81	4,43	2,87	10,94	12,37	11,84	1,61
25	35	30	106	4,11	4,53	2,92	11,24	12,56	11,95	1,65
32	42	30	115	4,39	4,59	2,95	11,33	12,65	12,11	1,67
40	48	30	115	4,39	4,59	2,95	11,33	12,65	12,11	1,67
-	54	30	122	4,60	4,65	2,98	11,41	12,76	12,27	1,70
50	60	30	122	4,60	4,65	2,98	11,41	12,76	12,27	1,70
-	64	30	133	4,94	4,94	3,15	11,62	12,96	12,45	1,74
-	70	30	133	4,94	4,94	3,15	11,62	12,96	12,45	1,74
65	76	30	146	5,33	5,00	3,19	11,82	13,16	12,63	1,80
80	89	30	160	7,94	5,83	3,63	12,61	13,92	13,30	2,31
-	102	30	173	8,49	6,06	3,75	13,09	14,62	13,56	2,53
100	114	30	185	9,01	8,35	4,17	13,29	15,58	14,23	2,85
-	127	30	199	9,61	8,52	4,26	13,67	16,55	14,53	3,20
-	12	40	106	4,11	4,53	2,92	11,24	12,56	11,95	1,65
-	15	40	106	4,11	4,53	2,92	11,24	12,56	11,95	1,65
10	18	40	106	4,11	4,53	2,92	11,24	12,56	11,95	1,65
15	22	40	115	4,39	4,59	2,95	11,33	12,65	12,11	1,67
20	28	40	115	4,39	4,59	2,95	11,33	12,65	12,11	1,67
25	35	40	122	4,60	4,65	2,98	11,41	12,76	12,27	1,70
32	42	40	133	4,94	4,94	3,15	11,62	12,96	12,45	1,74
40	48	40	133	4,94	4,94	3,15	11,62	12,96	12,45	1,74
-	54	40	146	5,33	5,00	3,19	11,82	13,16	12,63	1,80
50	60	40	146	5,33	5,00	3,19	11,82	13,16	12,63	1,80
-	64	40	146	5,33	5,00	3,19	11,82	13,16	12,63	1,80
-	70	40	160	7,94	5,83	3,63	12,61	13,92	13,30	2,31
65	76	40	160	7,94	5,83	3,63	12,61	13,92	13,30	2,31
80	89	40	173	8,49	6,06	3,75	13,09	14,62	13,56	2,53
-	102	40	199	9,61	6,71	4,09	13,67	16,55	14,53	3,20
100	114	40	199	9,61	8,52	4,26	13,67	16,55	14,53	3,20
-	127	40	213	10,41	8,84	4,42	14,34	17,52	14,87	3,37
125	140	40	225	10,92	9,91	4,96	14,94	18,48	15,18	3,52
150	168	40	253	12,12	11,53	5,76	15,59	20,42	15,85	4,04
-	178	40	266	12,68	11,92	5,96	16,06	21,52	16,17	4,22

HVAC and process pipes claddings

Material aluminium EN 3103H16

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentral €/pc	t-connection €/pc	end cap €/pc
200	219	40	304	14,51	15,27	7,64	17,60	24,88	21,55	5,44
-	230	40	318	15,11	15,96	7,98	21,19	29,36	21,97	6,15
250	273	40	358	16,82	21,27	10,76	23,43	32,63	23,41	6,69
-	289	40	385	17,98	23,34	11,79	24,72	34,40	24,34	7,02
300	324	40	411	19,09	30,82	15,41	26,32	35,40	25,29	7,40
-	356	40	436	20,16	32,74	16,37	27,92	38,30	26,21	8,80
15	22	50	133	4,94	4,94	3,15	11,62	12,96	12,45	1,74
20	28	50	133	4,94	4,94	3,15	11,62	12,96	12,45	1,74
25	35	50	146	5,33	5,00	3,19	11,82	13,16	12,63	1,80
32	42	50	160	7,94	5,83	3,63	12,61	13,92	13,30	2,31
40	48	50	160	7,94	5,83	3,63	12,61	13,92	13,30	2,31
-	54	50	160	7,94	5,83	3,63	12,61	13,92	13,30	2,31
50	60	50	173	8,49	6,06	3,75	13,09	14,62	13,56	2,53
-	64	50	173	8,49	6,06	3,75	13,09	14,62	13,56	2,53
-	70	50	173	8,49	6,06	3,75	13,09	14,62	13,56	2,53
65	76	50	185	9,01	6,41	4,09	13,29	15,58	14,23	2,85
80	89	50	199	9,61	6,71	4,09	13,67	16,55	14,53	3,20
-	102	50	213	10,41	7,18	4,34	14,34	17,52	14,87	3,37
100	114	50	225	10,92	9,33	4,66	14,94	18,48	15,18	3,52
-	127	50	238	11,48	9,63	4,81	15,15	19,45	15,50	3,69
125	140	50	253	12,12	10,59	5,30	15,59	20,42	15,85	4,04
150	168	50	278	13,19	12,16	6,24	16,51	22,67	16,68	4,48
-	178	50	292	13,79	12,36	6,34	17,29	23,75	18,12	4,87
200	219	50	332	15,71	16,32	8,29	21,53	30,50	22,40	6,31
-	230	50	345	16,27	16,96	8,60	22,45	31,50	22,80	6,46
250	273	50	385	17,98	23,34	11,79	24,72	34,40	24,34	7,02
-	289	50	396	18,45	23,86	11,93	25,46	34,90	24,79	7,15
300	324	50	436	20,16	32,74	16,37	27,92	38,30	26,21	8,80
-	356	50	464	21,36	34,27	17,13	29,35	40,93	30,63	9,31
350	356	50	464	21,36	37,48	18,74	29,35	40,93	30,63	9,31
-	371	50	478	21,96	39,08	19,54	30,17	42,56	31,28	9,43
400	406	50	517	33,64	62,26	31,13	37,35	55,63	38,87	12,16
-	426	50	542	35,16	70,30	35,15	39,67	58,79	41,97	12,63
500	508	50	622	40,03	92,01	46,01	46,54	70,15	50,30	18,42
-	533	50	647	41,55	95,61	47,80	48,77	72,81	52,88	19,07
600	612	50	722	46,31	123,31	61,65	55,70	84,63	60,90	20,97
-	630	50	742	47,53	125,37	62,68	57,22	87,10	63,00	21,47
700	714	50	831	53,15	148,41	74,21	64,75	96,50	95,98	23,68
800	813	50	922	58,68	201,81	100,90	76,01	107,29	104,16	28,10
900	914	50	1026	66,24	260,17	130,09	89,57	120,69	114,56	33,85
1000	1016	50	1132	72,69	282,74	141,37	102,90	131,86	125,03	40,04
25	35	60	160	7,94	5,83	3,63	12,61	13,92	13,30	2,31
32	42	60	173	8,49	6,06	3,75	13,09	14,62	13,56	2,53
40	48	60	173	8,49	6,06	3,75	13,09	14,62	13,56	2,53
-	54	60	185	9,01	6,41	4,09	13,29	15,58	14,23	2,85
50	60	60	185	9,01	6,41	4,09	13,29	15,58	14,23	2,85
-	64	60	199	9,61	6,71	4,09	13,67	16,55	14,53	3,20
-	70	60	199	9,61	6,71	4,09	13,67	16,55	14,53	3,20
65	76	60	199	9,61	6,71	4,09	13,67	16,55	14,53	3,20
80	89	60	213	10,41	7,18	4,34	14,34	17,52	14,87	3,37
-	102	60	225	10,92	9,33	4,66	14,94	18,48	15,18	3,52
100	114	60	238	11,48	9,63	4,81	15,15	19,45	15,50	3,69
-	127	60	253	12,12	10,22	5,11	15,59	20,42	15,85	4,04
125	140	60	266	12,68	10,91	5,45	16,06	21,52	16,17	4,22

HVAC and process pipes claddings

Material aluminium EN 3103H16

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentral €/pc	t-connection €/pc	end cap €/pc
150	168	60	292	13,79	12,36	6,34	17,29	23,75	18,12	4,87
-	178	60	310	14,77	13,01	6,51	17,74	25,15	21,70	5,51
200	219	60	345	16,27	16,96	8,60	22,45	31,50	22,80	6,46
-	230	60	358	16,82	17,62	8,93	23,43	32,63	23,41	6,69
250	273	60	396	18,45	23,86	11,93	25,46	34,90	24,79	7,15
-	289	60	424	19,65	25,55	12,78	26,83	36,85	25,75	8,62
300	324	60	451	20,81	33,69	16,85	28,69	39,61	29,92	9,08
-	356	60	491	22,52	36,49	18,24	30,65	43,15	31,76	9,65
350	356	60	491	22,52	39,60	19,80	30,65	43,15	31,76	9,65
-	371	60	504	32,85	50,13	25,06	35,86	53,66	37,89	11,91
400	406	60	542	35,16	70,30	35,15	39,67	58,79	41,97	12,63
-	426	60	556	36,01	71,24	35,62	41,12	62,22	43,23	13,02
500	508	60	635	40,82	93,90	46,95	48,14	71,92	52,04	18,79
-	533	60	661	42,40	97,66	48,83	49,91	74,58	54,55	19,46
600	612	60	742	47,53	125,37	62,68	57,22	87,10	63,00	21,47
-	630	60	768	49,11	129,61	64,81	59,63	90,34	65,42	22,03
700	714	60	842	53,82	151,04	75,52	66,90	98,93	96,90	23,91
800	813	60	940	59,78	207,38	103,69	77,50	109,64	104,75	28,54
900	914	60	1052	67,82	266,32	133,16	91,10	121,77	115,28	35,02
1000	1016	60	1156	74,15	288,37	144,18	106,15	134,91	127,59	41,56
25	35	80	199	9,61	6,71	4,09	13,67	16,55	14,53	3,20
32	42	80	213	10,41	7,18	4,34	14,34	17,52	14,87	3,37
40	48	80	213	10,41	7,18	4,34	14,34	17,52	14,87	3,37
-	54	80	225	10,92	9,33	4,66	14,94	18,48	15,18	3,52
50	60	80	225	10,92	9,33	4,66	14,94	18,48	15,18	3,52
-	64	80	238	11,48	8,07	4,82	15,15	19,45	15,50	3,69
-	70	80	238	11,48	8,07	4,82	15,15	19,45	15,50	3,69
65	76	80	238	11,48	9,63	4,81	15,15	19,45	15,50	3,69
80	89	80	253	12,12	10,22	5,11	15,59	20,42	15,85	4,04
-	102	80	266	12,68	10,91	5,45	16,06	21,52	16,17	4,22
100	114	80	278	13,19	11,46	5,73	16,51	22,67	16,68	4,48
-	127	80	292	13,79	11,87	5,94	17,29	23,75	18,12	4,87
125	140	80	304	14,51	12,90	6,45	17,60	24,88	21,55	5,44
150	168	80	332	15,71	14,43	7,34	21,53	30,50	22,40	6,31
-	178	80	345	16,27	14,99	7,62	22,45	31,50	22,80	6,46
200	219	80	385	17,98	19,35	9,80	24,72	34,40	24,34	7,02
-	230	80	396	18,45	19,88	9,94	25,46	34,90	24,79	7,15
250	273	80	436	20,16	26,11	13,05	27,92	38,30	26,21	8,80
-	289	80	464	21,36	27,65	13,83	29,35	40,93	30,63	9,31
300	324	80	491	22,52	36,49	18,24	30,65	43,15	31,76	9,65
-	356	80	530	34,43	47,34	23,67	38,57	57,59	39,82	12,39
350	356	80	530	34,43	52,63	26,32	38,57	57,59	39,82	12,39
-	371	80	542	35,16	57,68	28,84	39,67	58,79	41,97	12,63
400	406	80	582	37,59	69,61	34,81	43,06	64,56	45,90	17,42
-	426	80	592	38,20	71,10	35,55	43,75	65,64	46,55	17,67
500	508	80	687	43,98	100,52	50,26	52,13	77,12	56,60	20,07
-	533	80	702	45,10	102,32	51,16	53,98	82,28	58,88	20,47
600	612	80	792	50,57	132,89	66,44	61,38	92,69	92,43	22,72
-	630	80	802	51,38	135,01	67,50	63,10	94,46	94,04	23,03
700	714	80	882	56,25	157,18	78,59	71,81	102,09	99,68	24,89
800	813	80	986	62,58	214,99	107,49	84,93	116,88	110,93	31,12
900	914	80	1092	70,25	273,97	136,99	97,71	127,36	120,93	37,56
1000	1016	80	1196	76,58	300,13	150,06	110,83	138,72	131,21	44,43
40	48	100	253	12,12	8,63	5,11	15,59	20,42	15,85	4,04

HVAC and process pipes claddings

Material aluminium EN 3103H16

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentral €/pc	t-connection €/pc	end cap €/pc
-	54	100	266	12,68	10,91	5,45	16,06	21,52	16,17	4,22
50	60	100	266	12,68	10,91	5,45	16,06	21,52	16,17	4,22
-	64	100	266	12,68	10,91	5,45	16,06	21,52	16,17	4,22
65	76	100	278	13,19	11,46	5,73	16,51	22,67	16,68	4,48
80	89	100	292	13,79	11,87	5,94	17,29	23,75	18,12	4,87
100	114	100	318	15,11	13,44	6,72	21,19	29,36	21,97	6,15
-	127	100	332	15,71	14,17	7,21	21,53	30,50	22,40	6,31
125	140	100	345	16,27	14,99	7,62	22,45	31,50	22,80	6,46
150	168	100	371	17,38	17,58	8,91	24,05	33,96	23,86	6,85
-	178	100	385	17,98	18,12	9,19	24,72	34,40	24,34	7,02
200	219	100	424	19,65	21,22	10,61	26,83	36,85	25,75	8,62
-	230	100	436	20,16	21,73	10,86	27,92	38,30	26,21	8,80
250	273	100	491	22,52	29,20	14,60	30,65	43,15	31,76	9,65
-	289	100	504	32,85	37,50	18,75	35,86	53,66	37,89	11,91
300	324	100	530	34,43	47,86	23,93	38,57	57,59	39,82	12,39
-	356	100	572	36,98	56,13	28,07	41,99	64,06	45,01	13,21
350	356	100	572	36,98	56,52	28,26	41,99	64,06	45,01	13,21
-	371	100	582	37,59	57,41	28,70	43,06	64,56	45,90	17,42
400	406	100	622	40,03	74,15	37,07	46,54	70,15	50,30	18,42
-	426	100	635	40,82	75,68	37,84	48,14	71,92	52,04	18,79
500	508	100	722	46,31	105,17	52,59	55,70	84,63	60,90	20,97
-	533	100	752	48,14	108,37	54,19	58,64	88,18	63,70	21,72
600	612	100	831	53,15	139,37	69,68	64,75	96,50	95,98	23,68
-	630	100	842	53,82	141,86	70,93	66,90	98,93	96,90	23,91
700	714	100	922	58,68	196,82	98,41	76,01	107,29	104,16	28,10
800	813	100	1026	66,24	222,02	111,01	89,57	120,69	114,56	33,85
900	914	100	1132	72,69	282,74	141,37	102,90	131,86	125,03	40,04
1000	1016	100	1237	79,07	312,44	156,22	114,82	142,23	134,49	47,68
80	89	120	332	15,71	14,17	7,21	21,53	30,50	22,40	6,31
100	114	120	358	16,82	15,56	7,91	23,43	32,63	23,41	6,69
125	140	120	385	17,98	18,12	9,19	24,72	34,40	24,34	7,02
150	168	120	424	19,65	19,88	9,94	26,83	36,85	25,75	8,62
-	178	120	424	19,65	19,88	9,94	26,83	36,85	25,75	8,62
200	219	120	464	21,36	22,95	11,47	29,35	40,93	30,63	9,31
-	230	120	478	21,96	23,95	11,97	30,17	42,56	31,28	9,43
250	273	120	530	34,43	39,40	19,70	38,57	57,59	39,82	12,39
-	289	120	542	35,16	42,87	21,43	39,67	58,79	41,97	12,63
300	324	120	582	37,59	57,35	28,68	43,06	64,56	45,90	17,42
-	356	120	612	39,42	59,67	29,84	45,31	68,69	49,68	18,17
350	356	120	612	39,42	59,98	29,99	45,31	68,69	49,68	18,17
-	371	120	622	40,03	61,07	30,54	46,54	70,15	50,30	18,42
400	406	120	661	42,40	86,48	43,24	49,91	74,58	54,55	19,46

HVAC and process pipes claddings

Material aluminium EN 3103H16

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentral €/pc	t-connection €/pc	end cap €/pc
-	426	120	675	43,25	87,68	43,84	51,19	75,66	55,41	19,73
500	508	120	768	49,11	110,33	55,16	59,63	90,34	65,42	22,03
-	533	120	792	50,57	113,22	56,61	61,38	92,69	92,43	22,72
600	612	120	872	55,64	145,67	72,84	70,48	100,62	99,34	24,60
-	630	120	882	56,25	147,66	73,83	71,81	102,09	99,68	24,89
700	714	120	975	61,91	207,39	103,70	83,70	115,61	109,88	30,60
800	813	120	1067	68,73	229,24	114,62	94,49	124,31	118,24	35,95
900	914	120	1172	75,12	292,93	146,46	107,80	135,99	128,74	42,96
1000	1016	120	1277	81,51	324,65	162,32	118,24	145,54	137,70	51,20
125	140	140	424	19,65	19,88	9,94	26,83	36,85	25,75	8,62
150	168	140	464	21,36	22,95	11,47	29,35	40,93	30,63	9,31
200	219	140	517	33,64	34,15	17,08	37,35	55,63	38,87	12,16
250	273	140	568	36,74	41,92	20,96	41,50	63,18	44,19	13,09
300	324	140	622	40,03	61,13	30,56	46,54	70,15	50,30	18,42
-	356	140	647	41,55	63,07	31,53	48,77	72,81	52,88	19,07
350	356	140	647	41,55	71,55	35,78	48,77	72,81	52,88	19,07
-	371	140	661	42,40	73,09	36,55	49,91	74,58	54,55	19,46
400	406	140	702	45,10	90,58	45,29	53,98	82,28	58,88	20,47
-	426	140	712	45,71	91,84	45,92	55,01	83,36	59,89	20,72
500	508	140	802	51,38	114,91	57,45	63,10	94,46	94,04	23,03
-	533	140	831	53,15	118,74	59,37	64,75	96,50	95,98	23,68
600	612	140	912	58,08	153,90	76,95	75,55	105,82	102,90	27,66
-	630	140	922	58,68	157,41	78,70	76,01	107,29	104,16	28,10
700	714	140	1012	65,39	214,70	107,35	85,88	117,57	112,16	33,12
800	813	140	1107	71,17	236,56	118,28	99,49	128,82	122,04	38,50
900	914	140	1212	77,55	306,75	153,38	112,83	140,18	132,63	46,39
1000	1016	140	1317	83,94	334,63	167,32	121,65	148,27	140,92	54,59
150	168	160	504	32,85	33,38	16,69	35,86	53,66	37,89	11,91
200	219	160	556	36,01	38,81	19,40	41,12	62,22	43,23	13,02
250	273	160	612	39,42	44,99	22,50	45,31	68,69	49,68	18,17
300	324	160	661	42,40	64,78	32,39	49,91	74,58	54,55	19,46
350	356	160	687	43,98	75,28	37,64	52,13	77,12	56,60	20,07
400	406	160	742	47,53	94,55	47,27	57,22	87,10	63,00	21,47
-	426	160	768	49,11	97,63	48,81	59,63	90,34	65,42	22,03
500	508	160	842	53,82	120,77	60,38	66,90	98,93	96,90	23,91
-	533	160	872	55,64	124,10	62,05	70,48	100,62	99,34	24,60
600	612	160	940	59,78	161,70	80,85	77,50	109,64	104,75	28,54
-	630	160	962	61,12	163,44	81,72	81,17	112,49	108,64	30,00
700	714	160	1052	67,82	221,89	110,94	91,10	121,77	115,28	35,02
800	813	160	1147	73,60	243,46	121,73	104,49	133,13	126,26	41,06
900	914	160	1252	79,99	318,52	159,26	116,39	143,75	135,74	49,22
1000	1016	160	1360	86,56	345,27	172,63	125,86	152,34	145,11	60,01

NOTE! Prices printed on blue background are stock products. Other than stock products prices are valid with minimum order 5 pieces/product. VAT 0 %.

Pricing policy for pipe claddings which are cut to a specific length according to order:

Length under 500 mm, increase +25% compared to standard price

Length 500 - 1000 mm, increase +35% compared to standard price