

HVAC and process pipes claddings

Material hot galvanized steel EN 10346 Dx51d+z275MAC

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentric €/pc	t-connection €/pc	end cap €/pc
-	12	20	70	3,38	5,03	3,29	10,94	12,26	11,83	1,61
-	15	20	70	3,38	5,03	3,29	10,94	12,26	11,83	1,61
10	18	20	70	3,38	5,03	3,29	10,94	12,26	11,83	1,61
15	22	20	76	3,59	5,05	3,30	11,09	12,48	12,03	1,63
20	28	20	76	3,59	5,05	3,30	11,09	12,48	12,03	1,63
25	35	20	86	3,93	4,55	2,95	11,23	12,69	12,18	1,66
32	42	20	96	4,28	4,64	3,00	11,39	12,91	12,35	1,70
40	48	20	96	4,28	4,64	3,00	11,39	12,91	12,35	1,70
-	12	30	86	3,93	4,55	2,95	11,23	12,69	12,18	1,66
-	15	30	86	3,93	4,55	2,95	11,23	12,69	12,18	1,66
10	18	30	86	3,93	4,55	2,95	11,23	12,69	12,18	1,66
15	22	30	96	4,28	4,64	3,00	11,39	12,91	12,35	1,70
20	28	30	96	4,28	4,64	3,00	11,39	12,91	12,35	1,70
25	35	30	106	4,62	4,76	3,06	11,73	13,13	12,46	1,74
32	42	30	115	4,93	4,83	3,09	11,82	13,22	12,64	1,77
40	48	30	115	4,93	4,83	3,09	11,82	13,22	12,64	1,77
-	54	30	122	5,18	4,89	3,12	11,91	13,34	12,81	1,80
50	60	30	122	5,18	4,89	3,12	11,91	13,34	12,81	1,80
-	64	30	133	5,55	5,20	3,31	12,14	13,56	13,02	1,85
-	70	30	133	5,55	5,20	3,31	12,14	13,56	13,02	1,85
65	76	30	146	6,00	5,28	3,35	12,36	13,77	13,21	1,91
80	89	30	160	6,49	5,69	3,59	12,73	14,04	13,45	2,23
-	102	30	173	6,93	5,88	3,68	13,15	14,64	13,69	2,44
100	114	30	185	7,35	8,09	4,04	13,34	15,45	14,26	2,75
-	127	30	199	7,83	8,23	4,11	13,68	16,27	14,54	3,09
-	12	40	106	4,62	4,76	3,06	11,73	13,13	12,46	1,74
-	15	40	106	4,62	4,76	3,06	11,73	13,13	12,46	1,74
10	18	40	106	4,62	4,76	3,06	11,73	13,13	12,46	1,74
15	22	40	115	4,93	4,83	3,09	11,82	13,22	12,64	1,77
20	28	40	115	4,93	4,83	3,09	11,82	13,22	12,64	1,77
25	35	40	122	5,18	4,89	3,12	11,91	13,34	12,81	1,80
32	42	40	133	5,55	5,20	3,31	12,14	13,56	13,02	1,85
40	48	40	133	5,55	5,20	3,31	12,14	13,56	13,02	1,85
-	54	40	146	6,00	5,28	3,35	12,36	13,77	13,21	1,91
50	60	40	146	6,00	5,28	3,35	12,36	13,77	13,21	1,91
-	64	40	146	6,00	5,28	3,35	12,36	13,77	13,21	1,91
-	70	40	160	6,49	5,69	3,59	12,73	14,04	13,45	2,23
65	76	40	160	6,49	5,69	3,59	12,73	14,04	13,45	2,23
80	89	40	173	6,93	5,88	3,68	13,15	14,64	13,69	2,44
-	102	40	199	7,83	6,42	3,97	13,68	16,27	14,54	3,09
100	114	40	199	7,83	8,23	4,11	13,68	16,27	14,54	3,09
-	127	40	213	8,52	8,51	4,25	14,25	17,08	14,85	3,24
125	140	40	225	8,94	9,40	4,70	14,77	17,89	15,14	3,38
150	168	40	253	9,90	10,76	5,38	15,39	19,52	15,77	3,83
-	178	40	266	10,35	11,11	5,55	15,77	20,45	16,07	4,00
200	219	40	304	11,87	14,02	7,01	17,11	23,27	21,29	5,20
-	230	40	318	12,36	14,64	7,32	20,69	27,64	21,68	5,80
250	273	40	358	13,74	19,08	9,67	22,62	30,40	23,00	6,31
-	289	40	385	14,67	21,01	10,63	23,83	32,01	23,92	6,60
300	324	40	411	15,56	28,29	14,15	25,33	33,05	24,82	6,95
-	356	40	436	16,42	30,09	15,04	26,83	35,62	25,69	8,11

HVAC and process pipes claddings

Material hot galvanized steel EN 10346 Dx51d+z275MAC

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentral €/pc	t-connection €/pc	end cap €/pc
15	22	50	133	5,55	5,20	3,31	12,14	13,56	13,02	1,85
20	28	50	133	5,55	5,20	3,31	12,14	13,56	13,02	1,85
25	35	50	146	6,00	5,28	3,35	12,36	13,77	13,21	1,91
32	42	50	160	6,49	5,69	3,59	12,73	14,04	13,45	2,23
40	48	50	160	6,49	5,69	3,59	12,73	14,04	13,45	2,23
-	54	50	160	6,49	5,69	3,59	12,73	14,04	13,45	2,23
50	60	50	173	6,93	5,88	3,68	13,15	14,64	13,69	2,44
-	64	50	173	6,93	5,88	3,68	13,15	14,64	13,69	2,44
-	70	50	173	6,93	5,88	3,68	13,15	14,64	13,69	2,44
65	76	50	185	7,35	6,18	3,98	13,34	15,45	14,26	2,75
80	89	50	199	7,83	6,42	3,97	13,68	16,27	14,54	3,09
-	102	50	213	8,52	6,83	4,19	14,25	17,08	14,85	3,24
100	114	50	225	8,94	8,93	4,47	14,77	17,89	15,14	3,38
-	127	50	238	9,39	9,20	4,60	14,97	18,71	15,44	3,53
125	140	50	253	9,90	10,01	5,00	15,39	19,52	15,77	3,83
150	168	50	278	10,77	11,39	5,83	16,21	21,42	16,57	4,24
-	178	50	292	11,25	11,60	5,93	16,84	22,32	17,78	4,63
200	219	50	332	12,84	14,95	7,61	21,01	28,60	22,08	5,95
-	230	50	345	13,29	15,54	7,90	21,79	29,44	22,46	6,09
250	273	50	385	14,67	21,01	10,63	23,83	32,01	23,92	6,60
-	289	50	396	15,05	21,48	10,74	24,53	32,53	24,35	6,73
300	324	50	436	16,42	30,09	15,04	26,83	35,62	25,69	8,11
-	356	50	464	17,39	31,51	15,75	28,19	37,97	29,38	8,59
350	356	50	464	17,39	34,09	17,05	28,19	37,97	29,38	8,59
-	371	50	478	17,87	35,60	17,80	29,01	39,46	30,00	8,69
400	406	50	517	22,64	50,48	25,24	32,90	45,78	33,84	9,87
-	426	50	542	23,64	58,14	29,07	35,13	48,62	36,86	10,25
500	508	50	622	26,85	71,81	35,90	41,38	58,01	44,49	14,24
-	533	50	647	27,85	74,59	37,30	43,37	60,34	46,90	14,73
600	612	50	722	31,07	93,64	46,82	49,49	69,84	54,32	16,15
-	630	50	742	31,87	95,09	47,55	51,01	72,03	56,35	16,53
700	714	50	831	40,58	124,72	62,36	59,85	84,90	84,53	19,78
800	813	50	922	44,76	170,49	85,24	69,63	94,47	91,49	23,23
900	914	50	1026	50,81	216,02	108,01	81,28	106,14	100,47	27,71
1000	1016	50	1132	55,67	234,05	117,03	92,64	116,00	109,50	32,51
25	35	60	160	6,49	5,69	3,59	12,73	14,04	13,45	2,23
32	42	60	173	6,93	5,88	3,68	13,15	14,64	13,69	2,44
40	48	60	173	6,93	5,88	3,68	13,15	14,64	13,69	2,44
-	54	60	185	7,35	6,18	3,98	13,34	15,45	14,26	2,75
50	60	60	185	7,35	6,18	3,98	13,34	15,45	14,26	2,75
-	64	60	199	7,83	6,42	3,97	13,68	16,27	14,54	3,09
-	70	60	199	7,83	6,42	3,97	13,68	16,27	14,54	3,09
65	76	60	199	7,83	6,42	3,98	13,68	16,27	14,54	3,09
80	89	60	213	8,52	6,83	4,19	14,25	17,08	14,85	3,24
-	102	60	225	8,94	8,93	4,47	14,77	17,89	15,14	3,38
100	114	60	238	9,39	9,20	4,60	14,97	18,71	15,44	3,53
-	127	60	253	9,90	9,70	4,85	15,39	19,52	15,77	3,83
125	140	60	266	10,35	10,29	5,15	15,77	20,45	16,07	4,00
150	168	60	292	11,25	11,60	5,93	16,84	22,32	17,78	4,63
-	178	60	310	12,08	12,20	6,10	17,24	23,50	21,42	5,27
200	219	60	345	13,29	15,54	7,90	21,79	29,44	22,46	6,09
-	230	60	358	13,74	16,15	8,20	22,62	30,40	23,00	6,31
250	273	60	396	15,05	21,48	10,74	24,53	32,53	24,35	6,73
-	289	60	424	16,01	23,01	11,50	25,85	34,34	25,25	7,95
300	324	60	451	16,94	30,96	15,48	27,55	36,80	28,75	8,37
-	356	60	491	18,32	33,52	16,76	29,45	39,99	30,43	8,88
350	356	60	491	18,32	36,03	18,01	29,45	39,99	30,43	8,88
-	371	60	504	22,12	39,98	19,99	31,58	44,11	33,01	9,66
400	406	60	542	23,64	58,14	29,07	35,13	48,62	36,86	10,25
-	426	60	556	24,20	58,76	29,38	36,47	51,32	37,97	10,52
500	508	60	635	27,37	73,28	36,64	42,78	59,56	46,11	14,52
-	533	60	661	28,41	76,19	38,10	44,47	61,88	48,48	15,03

HVAC and process pipes claddings

Material hot galvanized steel EN 10346 Dx51d+z275MAC

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentral €/pc	t-connection €/pc	end cap €/pc
600	612	60	742	31,87	95,09	47,55	51,01	72,03	56,35	16,53
-	630	60	768	32,91	98,18	49,09	53,11	74,74	58,53	16,96
700	714	60	842	41,08	126,97	63,49	61,60	86,88	85,32	19,97
800	813	60	940	45,58	175,16	87,58	71,01	96,52	92,05	23,58
900	914	60	1052	52,00	220,92	110,46	82,57	107,10	101,13	28,61
1000	1016	60	1156	56,77	238,61	119,31	95,48	118,72	111,78	33,71
25	35	80	199	7,83	6,42	3,97	13,68	16,27	14,54	3,09
32	42	80	213	8,52	6,83	4,19	14,25	17,08	14,85	3,24
40	48	80	213	8,52	6,83	4,19	14,25	17,08	14,85	3,24
-	54	80	225	8,94	8,93	4,47	14,77	17,89	15,14	3,38
50	60	80	225	8,94	8,93	4,47	14,77	17,89	15,14	3,38
-	64	80	238	9,39	7,59	4,61	14,97	18,71	15,44	3,53
-	70	80	238	9,39	7,59	4,61	14,97	18,71	15,44	3,53
65	76	80	238	9,39	9,20	4,60	14,97	18,71	15,44	3,53
80	89	80	253	9,90	9,70	4,85	15,39	19,52	15,77	3,83
-	102	80	266	10,35	10,29	5,15	15,77	20,45	16,07	4,00
100	114	80	278	10,77	10,82	5,41	16,21	21,42	16,57	4,24
-	127	80	292	11,25	11,20	5,60	16,84	22,32	17,78	4,63
125	140	80	304	11,87	12,11	6,05	17,11	23,27	21,29	5,20
150	168	80	332	12,84	13,43	6,84	21,01	28,60	22,08	5,95
-	178	80	345	13,29	13,96	7,11	21,79	29,44	22,46	6,09
200	219	80	385	14,67	17,80	9,03	23,83	32,01	23,92	6,60
-	230	80	396	15,05	18,28	9,14	24,53	32,53	24,35	6,73
250	273	80	436	16,42	23,51	11,75	26,83	35,62	25,69	8,11
-	289	80	464	17,39	24,87	12,44	28,19	37,97	29,38	8,59
300	324	80	491	18,32	33,52	16,76	29,45	39,99	30,43	8,88
-	356	80	530	23,16	38,45	19,23	34,05	47,46	34,69	10,04
350	356	80	530	23,16	41,94	20,97	34,05	47,46	34,69	10,04
-	371	80	542	23,64	46,87	23,43	35,13	48,62	36,86	10,25
400	406	80	582	25,24	56,38	28,19	38,23	53,38	40,40	13,49
-	426	80	592	25,64	57,57	28,78	38,85	54,28	41,06	13,68
500	508	80	687	29,45	78,25	39,12	46,27	63,94	50,30	15,47
-	533	80	702	30,27	79,62	39,81	48,01	67,91	52,51	15,78
600	612	80	792	33,88	100,52	50,26	54,62	76,67	76,64	17,46
-	630	80	802	39,25	111,71	55,85	58,47	83,22	82,95	19,27
700	714	80	882	42,92	132,05	66,02	65,81	89,83	87,66	20,75
800	813	80	986	47,69	181,58	90,79	77,40	102,84	97,40	25,60
900	914	80	1092	53,84	227,01	113,50	88,21	112,03	105,96	30,59
1000	1016	80	1196	58,61	248,76	124,38	99,40	122,02	114,85	35,92
40	48	100	253	9,90	8,06	4,85	15,39	19,52	15,77	3,83
-	54	100	266	10,35	10,29	5,15	15,77	20,45	16,07	4,00
50	60	100	266	10,35	10,29	5,15	15,77	20,45	16,07	4,00
-	64	100	266	10,35	10,29	5,15	15,77	20,45	16,07	4,00
65	76	100	278	10,77	10,82	5,41	16,21	21,42	16,57	4,24
80	89	100	292	11,25	11,20	5,60	16,84	22,32	17,78	4,63
100	114	100	318	12,36	12,62	6,31	20,69	27,64	21,68	5,80
-	127	100	332	12,84	13,22	6,74	21,01	28,60	22,08	5,95
125	140	100	345	13,29	13,96	7,11	21,79	29,44	22,46	6,09
150	168	100	371	14,18	16,30	8,28	23,19	31,56	23,47	6,45
-	178	100	385	14,67	16,81	8,53	23,83	32,01	23,92	6,60
200	219	100	424	16,01	19,52	9,76	25,85	34,34	25,25	7,95
-	230	100	436	16,42	19,98	9,99	26,83	35,62	25,69	8,11
250	273	100	491	18,32	26,27	13,14	29,45	39,99	30,43	8,88
-	289	100	504	22,12	29,34	14,67	31,58	44,11	33,01	9,66
300	324	100	530	23,16	38,80	19,40	34,05	47,46	34,69	10,04
-	356	100	572	24,84	44,77	22,39	37,35	52,86	39,57	10,69
350	356	100	572	24,84	45,03	22,51	37,35	52,86	39,57	10,69
-	371	100	582	25,24	45,71	22,86	38,23	53,38	40,40	13,49
400	406	100	622	26,85	60,03	30,02	41,38	58,01	44,49	14,24
-	426	100	635	27,37	61,27	30,64	42,78	59,56	46,11	14,52
500	508	100	722	31,07	81,69	40,85	49,49	69,84	54,32	16,15
-	533	100	752	32,27	84,03	42,01	52,12	72,93	57,01	16,71

HVAC and process pipes claddings

Material hot galvanized steel EN 10346 Dx51d+z275MAC

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentric €/pc	t-connection €/pc	end cap €/pc
600	612	100	831	40,58	115,35	57,68	59,85	84,90	84,53	19,78
-	630	100	842	41,08	117,45	58,72	61,60	86,88	85,32	19,97
700	714	100	922	44,76	163,69	81,85	69,63	94,47	91,49	23,23
800	813	100	1026	50,81	187,22	93,61	81,28	106,14	100,47	27,71
900	914	100	1132	55,67	234,05	117,03	92,64	116,00	109,50	32,51
1000	1016	100	1237	60,49	260,09	130,05	102,67	124,95	117,55	38,41
80	89	120	332	12,84	13,22	6,74	21,01	28,60	22,08	5,95
100	114	120	358	13,74	14,49	7,37	22,62	30,40	23,00	6,31
125	140	120	385	14,67	16,81	8,53	23,83	32,01	23,92	6,60
150	168	120	424	16,01	18,44	9,22	25,85	34,34	25,25	7,95
-	178	120	424	16,01	18,44	9,22	25,85	34,34	25,25	7,95
200	219	120	464	17,39	21,09	10,54	28,19	37,97	29,38	8,59
-	230	120	478	17,87	22,04	11,02	29,01	39,46	30,00	8,69
250	273	120	530	23,16	30,80	15,40	34,05	47,46	34,69	10,04
-	289	120	542	23,64	34,16	17,08	35,13	48,62	36,86	10,25
300	324	120	582	25,24	45,68	22,84	38,23	53,38	40,40	13,49
-	356	120	612	26,45	47,58	23,79	40,40	56,86	43,84	14,05
350	356	120	612	26,45	47,78	23,89	40,40	56,86	43,84	14,05
-	371	120	622	26,85	48,62	24,31	41,38	58,01	44,49	14,24
400	406	120	661	28,41	68,82	34,41	44,47	61,88	48,48	15,03
-	426	120	675	28,97	69,69	34,85	45,48	62,78	49,28	15,22
500	508	120	768	32,91	85,47	42,73	53,11	74,74	58,53	16,96
-	533	120	792	33,88	87,56	43,78	54,62	76,67	76,64	17,46
600	612	120	872	42,46	120,54	60,27	64,69	88,58	87,30	20,52
-	630	120	882	42,92	122,18	61,09	65,81	89,83	87,66	20,75
700	714	120	975	47,19	172,45	86,23	76,34	101,74	96,49	25,19
800	813	120	1067	52,69	193,03	96,52	85,39	109,30	103,58	29,34
900	914	120	1172	57,51	242,27	121,13	96,86	119,68	112,76	34,78
1000	1016	120	1277	62,33	270,04	135,02	105,51	127,74	120,19	41,10
125	140	140	424	16,01	18,44	9,22	25,85	34,34	25,25	7,95
150	168	140	464	17,39	21,09	10,54	28,19	37,97	29,38	8,59
200	219	140	517	22,64	27,23	13,62	32,90	45,78	33,84	9,87
250	273	140	568	24,68	32,75	16,37	36,85	52,09	38,79	10,59
300	324	140	622	26,85	48,66	24,33	41,38	58,01	44,49	14,24
-	356	140	647	27,85	50,25	25,13	43,37	60,34	46,90	14,73
350	356	140	647	27,85	55,85	27,92	43,37	60,34	46,90	14,73
-	371	140	661	28,41	57,04	28,52	44,47	61,88	48,48	15,03
400	406	140	702	30,27	71,89	35,94	48,01	67,91	52,51	15,78
-	426	140	712	30,67	72,81	36,40	48,86	68,81	53,42	15,97
500	508	140	802	39,25	96,54	48,27	58,47	83,22	82,95	19,27
-	533	140	831	40,58	99,79	49,89	59,85	84,90	84,53	19,78
600	612	140	912	44,30	127,73	63,87	69,16	93,22	90,35	22,88
-	630	140	922	44,76	130,92	65,46	69,63	94,47	91,49	23,23
700	714	140	1012	50,16	178,32	89,16	78,25	103,51	98,44	27,13
800	813	140	1107	54,52	198,99	99,49	89,68	113,27	106,91	31,32
900	914	140	1212	59,35	254,82	127,41	101,04	123,27	116,03	37,42
1000	1016	140	1317	64,17	278,36	139,18	108,34	130,09	122,85	43,68

HVAC and process pipes claddings

Material hot galvanized steel EN 10346 Dx51d+z275MAC

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentric €/pc	t-connection €/pc	end cap €/pc
150	168	160	504	22,12	26,63	13,32	31,58	44,11	33,01	9,66
200	219	160	556	24,20	31,48	15,74	36,47	51,32	37,97	10,52
250	273	160	612	26,45	35,15	17,58	40,40	56,86	43,84	14,05
300	324	160	661	28,41	51,57	25,78	44,47	61,88	48,48	15,03
350	356	160	687	29,45	58,61	29,31	46,27	63,94	50,30	15,47
400	406	160	742	31,87	74,78	37,39	51,01	72,03	56,35	16,53
-	426	160	768	32,91	77,10	38,55	53,11	74,74	58,53	16,96
500	508	160	842	41,08	101,53	50,76	61,60	86,88	85,32	19,97
-	533	160	872	42,46	104,26	52,13	64,69	88,58	87,30	20,52
600	612	160	940	45,58	134,47	67,23	71,01	96,52	92,05	23,58
-	630	160	962	46,59	135,92	67,96	74,18	99,10	95,33	24,71
700	714	160	1052	52,00	184,06	92,03	82,57	107,10	101,13	28,61
800	813	160	1147	56,36	204,51	102,25	93,97	117,10	110,54	33,30
900	914	160	1252	61,18	264,97	132,48	104,00	126,27	118,60	39,58
1000	1016	160	1360	66,14	287,19	143,60	111,97	133,65	126,47	47,84

NOTE! Prices printed on blue background are stock products. Other than stock products prices are valid with minimum order 5 pieces/product.
VAT 0 %.

Pricing policy for pipe claddings which are cut to a specific length according to order:

Length under 500 mm, increase +25% compared to standard price

Length 500 - 1000 mm, increase +35% compared to standard price