

HVAC and process pipes claddings

Material stainless steel EN 10088-2-1.4301+2B

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentric €/pc	t-connection €/pc	end cap €/pc
-	12	20	70	8,37	8,04	5,16	15,35	17,64	16,86	2,58
-	15	20	70	8,37	8,04	5,16	15,35	17,64	16,86	2,58
10	18	20	70	8,37	8,04	5,16	15,35	17,64	16,86	2,58
15	22	20	76	8,92	8,10	5,19	15,66	18,13	17,34	2,64
20	28	20	76	8,92	8,10	5,19	15,66	18,13	17,34	2,64
25	35	20	86	9,83	7,52	4,76	15,93	18,63	17,65	2,75
32	42	20	96	10,74	7,81	4,90	16,27	19,12	17,99	2,86
40	48	20	96	10,74	7,81	4,90	16,27	19,12	17,99	2,86
-	12	30	86	9,83	7,52	4,76	15,93	18,63	17,65	2,75
-	15	30	86	9,83	7,52	4,76	15,93	18,63	17,65	2,75
10	18	30	86	9,83	7,52	4,76	15,93	18,63	17,65	2,75
15	22	30	96	10,74	7,81	4,90	16,27	19,12	17,99	2,86
20	28	30	96	10,74	7,81	4,90	16,27	19,12	17,99	2,86
25	35	30	106	11,65	8,20	5,10	17,17	19,61	18,19	2,98
32	42	30	115	12,47	8,41	5,20	17,38	19,84	18,68	3,09
40	48	30	115	12,47	8,41	5,20	17,38	19,84	18,68	3,09
-	54	30	122	13,11	8,61	5,30	17,58	20,11	19,13	3,19
50	60	30	122	13,11	8,61	5,30	17,58	20,11	19,13	3,19
-	64	30	133	14,11	9,27	5,68	18,14	20,60	19,61	3,34
-	70	30	133	14,11	9,27	5,68	18,14	20,60	19,61	3,34
65	76	30	146	15,30	9,52	5,80	18,65	21,10	20,06	3,53
80	89	30	160	16,58	10,51	6,35	19,58	21,66	20,53	4,10
-	102	30	173	17,76	11,11	6,65	20,65	23,28	21,04	4,52
100	114	30	185	18,86	15,37	7,69	20,99	25,59	22,60	5,05
-	127	30	199	20,13	15,82	7,91	21,82	27,91	23,22	5,65
-	12	40	106	11,65	8,20	5,10	17,17	19,61	18,19	2,98
-	15	40	106	11,65	8,20	5,10	17,17	19,61	18,19	2,98
10	18	40	106	11,65	8,20	5,10	17,17	19,61	18,19	2,98
15	22	40	115	12,47	8,41	5,20	17,38	19,84	18,68	3,09
20	28	40	115	12,47	8,41	5,20	17,38	19,84	18,68	3,09
25	35	40	122	13,11	8,61	5,30	17,58	20,11	19,13	3,19
32	42	40	133	14,11	9,27	5,68	18,14	20,60	19,61	3,34
40	48	40	133	14,11	9,27	5,68	18,14	20,60	19,61	3,34
-	54	40	146	15,30	9,52	5,80	18,65	21,10	20,06	3,53
50	60	40	146	15,30	9,52	5,80	18,65	21,10	20,06	3,53
-	64	40	146	15,30	9,52	5,80	18,65	21,10	20,06	3,53
-	70	40	160	16,58	10,51	6,35	19,58	21,66	20,53	4,10
65	76	40	160	16,58	10,51	6,35	19,58	21,66	20,53	4,10
80	89	40	173	17,76	11,11	6,65	20,65	23,28	21,04	4,52
-	102	40	199	20,13	12,68	7,46	21,82	27,91	23,22	5,65
100	114	40	199	20,13	15,82	7,91	21,82	27,91	23,22	5,65
-	127	40	213	21,68	16,50	8,25	23,38	30,22	23,87	6,01
125	140	40	225	22,78	19,14	9,57	24,76	32,53	24,44	6,34
150	168	40	253	25,33	23,05	11,53	25,95	37,16	25,74	7,53
-	178	40	266	26,51	23,93	11,96	27,17	39,83	26,35	7,84
200	219	40	304	30,25	31,64	15,82	30,59	47,89	35,77	9,90
-	230	40	318	31,53	33,07	16,54	36,37	55,63	36,58	11,56
250	273	40	358	35,18	46,00	23,19	41,57	63,41	39,50	12,64
-	289	40	385	37,64	50,19	25,28	44,01	67,00	41,03	13,33
300	324	40	411	40,01	63,76	31,88	47,07	68,42	42,81	14,07
-	356	40	436	42,29	67,63	33,81	50,14	74,72	44,52	17,51

HVAC and process pipes claddings

Material stainless steel EN 10088-2-1.4301+2B

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentric €/pc	t-connection €/pc	end cap €/pc
15	22	50	133	14,11	9,27	5,68	18,14	20,60	19,61	3,34
20	28	50	133	14,11	9,27	5,68	18,14	20,60	19,61	3,34
25	35	50	146	15,30	9,52	5,80	18,65	21,10	20,06	3,53
32	42	50	160	16,58	10,51	6,35	19,58	21,66	20,53	4,10
40	48	50	160	16,58	10,51	6,35	19,58	21,66	20,53	4,10
-	54	50	160	16,58	10,51	6,35	19,58	21,66	20,53	4,10
50	60	50	173	17,76	11,11	6,65	20,65	23,28	21,04	4,52
-	64	50	173	17,76	11,11	6,65	20,65	23,28	21,04	4,52
-	70	50	173	17,76	11,11	6,65	20,65	23,28	21,04	4,52
65	76	50	185	18,86	11,91	7,48	20,99	25,59	22,60	5,05
80	89	50	199	20,13	12,68	7,46	21,82	27,91	23,22	5,65
-	102	50	213	21,68	13,80	8,04	23,38	30,22	23,87	6,01
100	114	50	225	22,78	17,64	8,82	24,76	32,53	24,44	6,34
-	127	50	238	23,96	18,28	9,14	25,13	34,85	25,06	6,70
125	140	50	253	25,33	20,64	10,32	25,95	37,16	25,74	7,53
150	168	50	278	27,61	24,16	12,50	27,94	42,56	27,23	8,37
-	178	50	292	28,89	24,47	12,65	29,91	45,19	30,74	9,01
200	219	50	332	32,80	33,93	17,15	37,06	58,34	37,42	11,90
-	230	50	345	33,99	35,22	17,80	39,23	60,70	38,20	12,21
250	273	50	385	37,64	50,19	25,28	44,01	67,00	41,03	13,33
-	289	50	396	38,64	51,27	25,63	45,38	67,71	41,85	13,60
300	324	50	436	42,29	67,63	33,81	50,14	74,72	44,52	17,51
-	356	50	464	44,84	70,70	35,35	52,75	80,33	55,25	18,53
350	356	50	464	44,84	78,98	39,49	52,75	80,33	55,25	18,53
-	371	50	478	46,12	82,08	41,04	54,06	83,66	56,48	18,84
400	406	50	517	60,48	105,85	52,93	58,89	91,19	61,73	20,07
-	426	50	542	63,24	118,65	59,32	62,37	96,11	66,31	20,87
500	508	50	622	72,08	158,57	79,28	72,98	114,71	79,15	31,20
-	533	50	647	74,84	164,78	82,39	76,47	118,92	83,05	32,31
600	612	50	722	83,40	214,48	107,24	87,38	138,55	95,32	35,58
-	630	50	742	85,61	218,14	109,07	89,59	142,42	98,43	36,44
700	714	50	831	114,39	294,09	147,04	111,22	177,40	176,22	46,41
800	813	50	922	126,45	397,84	198,92	132,23	197,03	191,89	55,73
900	914	50	1026	141,85	521,58	260,79	157,90	221,99	211,47	67,86
1000	1016	50	1132	155,90	568,46	284,23	183,44	242,46	231,21	81,00
25	35	60	160	16,58	10,51	6,35	19,58	21,66	20,53	4,10
32	42	60	173	17,76	11,11	6,65	20,65	23,28	21,04	4,52
40	48	60	173	17,76	11,11	6,65	20,65	23,28	21,04	4,52
-	54	60	185	18,86	11,91	7,48	20,99	25,59	22,60	5,05
50	60	60	185	18,86	11,91	7,48	20,99	25,59	22,60	5,05
-	64	60	199	20,13	12,68	7,46	21,82	27,91	23,22	5,65
-	70	60	199	20,13	12,68	7,46	21,82	27,91	23,22	5,65
65	76	60	199	20,13	12,68	7,48	21,82	27,91	23,22	5,65
80	89	60	213	21,68	13,80	8,04	23,38	30,22	23,87	6,01
-	102	60	225	22,78	17,64	8,82	24,76	32,53	24,44	6,34
100	114	60	238	23,96	18,28	9,14	25,13	34,85	25,06	6,70
-	127	60	253	25,33	19,66	9,83	25,95	37,16	25,74	7,53
125	140	60	266	26,51	21,32	10,66	27,17	39,83	26,35	7,84
150	168	60	292	28,89	24,47	12,65	29,91	45,19	30,74	9,01
-	178	60	310	30,80	25,81	12,90	30,91	48,52	36,08	10,00
200	219	60	345	33,99	35,22	17,80	39,23	60,70	38,20	12,21
-	230	60	358	35,18	36,58	18,48	41,57	63,41	39,50	12,64
250	273	60	396	38,64	51,27	25,63	45,38	67,71	41,85	13,60
-	289	60	424	41,20	54,90	27,45	47,85	71,57	43,66	17,14
300	324	60	451	43,66	69,60	34,80	51,58	77,52	53,76	18,07
-	356	60	491	47,31	75,40	37,70	55,05	84,88	57,52	19,28
350	356	60	491	47,31	83,44	41,72	55,05	84,88	57,52	19,28
-	371	60	504	59,04	85,73	42,86	56,56	88,04	60,17	19,67
400	406	60	542	63,24	118,65	59,32	62,37	96,11	66,31	20,87
-	426	60	556	64,79	120,35	60,17	64,58	101,90	68,30	21,55
500	508	60	635	73,51	161,82	80,91	75,52	117,51	81,78	31,81

HVAC and process pipes claddings

Material stainless steel EN 10088-2-1.4301+2B

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentric €/pc	t-connection €/pc	end cap €/pc
-	533	60	661	76,39	168,32	84,16	78,17	121,73	85,58	32,96
600	612	60	742	85,61	218,14	109,07	89,59	142,42	98,43	36,44
-	630	60	768	88,48	225,64	112,82	93,40	147,68	102,20	37,37
700	714	60	842	115,84	299,21	149,60	115,55	182,29	177,96	46,87
800	813	60	940	128,83	408,91	204,45	134,77	201,38	192,87	56,65
900	914	60	1052	145,30	534,40	267,20	160,89	223,95	212,74	70,38
1000	1016	60	1156	159,08	579,99	289,99	189,47	247,93	235,87	84,18
25	35	80	199	20,13	12,68	7,46	21,82	27,91	23,22	5,65
32	42	80	213	21,68	13,80	8,04	23,38	30,22	23,87	6,01
40	48	80	213	21,68	13,80	8,04	23,38	30,22	23,87	6,01
-	54	80	225	22,78	17,64	8,82	24,76	32,53	24,44	6,34
50	60	80	225	22,78	17,64	8,82	24,76	32,53	24,44	6,34
-	64	80	238	23,96	15,91	9,15	25,13	34,85	25,06	6,70
-	70	80	238	23,96	15,91	9,15	25,13	34,85	25,06	6,70
65	76	80	238	23,96	18,28	9,14	25,13	34,85	25,06	6,70
80	89	80	253	25,33	19,66	9,83	25,95	37,16	25,74	7,53
-	102	80	266	26,51	21,32	10,66	27,17	39,83	26,35	7,84
100	114	80	278	27,61	22,35	11,17	27,94	42,56	27,23	8,37
-	127	80	292	28,89	23,21	11,60	29,91	45,19	30,74	9,01
125	140	80	304	30,25	25,52	12,76	30,59	47,89	35,77	9,90
150	168	80	332	32,80	29,03	14,71	37,06	58,34	37,42	11,90
-	178	80	345	33,99	30,15	15,27	39,23	60,70	38,20	12,21
200	219	80	385	37,64	39,91	20,14	44,01	67,00	41,03	13,33
-	230	80	396	38,64	41,01	20,51	45,38	67,71	41,85	13,60
250	273	80	436	42,29	56,13	28,07	50,14	74,72	44,52	17,51
-	289	80	464	44,84	59,53	29,76	52,75	80,33	55,25	18,53
300	324	80	491	47,31	75,40	37,70	55,05	84,88	57,52	19,28
-	356	80	530	61,92	80,42	40,21	60,73	94,35	63,23	20,47
350	356	80	530	61,92	90,04	45,02	60,73	94,35	63,23	20,47
-	371	80	542	63,24	97,98	48,99	62,37	96,11	66,31	20,87
400	406	80	582	67,66	118,40	59,20	67,60	105,58	72,43	29,48
-	426	80	592	68,76	120,93	60,47	68,66	107,34	73,35	29,91
500	508	80	687	79,26	173,38	86,69	81,83	125,94	88,78	34,03
-	533	80	702	81,19	176,51	88,25	84,63	134,70	92,16	34,72
600	612	80	792	91,13	231,44	115,72	96,22	151,54	150,93	38,58
-	630	80	802	110,54	271,54	135,77	107,98	173,34	172,30	45,03
700	714	80	882	121,15	311,57	155,78	124,83	187,63	183,35	48,87
800	813	80	986	134,93	423,93	211,96	148,85	214,84	204,50	62,04
900	914	80	1092	150,60	550,33	275,16	173,53	234,19	223,51	75,73
1000	1016	80	1196	164,38	602,68	301,34	198,61	255,08	242,84	90,29
40	48	100	253	25,33	17,24	9,83	25,95	37,16	25,74	7,53
-	54	100	266	26,51	21,32	10,66	27,17	39,83	26,35	7,84
50	60	100	266	26,51	21,32	10,66	27,17	39,83	26,35	7,84
-	64	100	266	26,51	21,32	10,66	27,17	39,83	26,35	7,84
65	76	100	278	27,61	22,35	11,17	27,94	42,56	27,23	8,37
80	89	100	292	28,89	23,21	11,60	29,91	45,19	30,74	9,01
100	114	100	318	31,53	26,57	13,29	36,37	55,63	36,58	11,56
-	127	100	332	32,80	28,37	14,37	37,06	58,34	37,42	11,90
125	140	100	345	33,99	30,15	15,27	39,23	60,70	38,20	12,21
150	168	100	371	36,36	35,61	18,00	42,75	66,39	40,14	12,99
-	178	100	385	37,64	36,73	18,55	44,01	67,00	41,03	13,33
200	219	100	424	41,20	43,73	21,87	47,85	71,57	43,66	17,14
-	230	100	436	42,29	44,82	22,41	50,14	74,72	44,52	17,51
250	273	100	491	47,31	62,85	31,43	55,05	84,88	57,52	19,28
-	289	100	504	59,04	64,57	32,28	56,56	88,04	60,17	19,67
300	324	100	530	61,92	81,37	40,68	60,73	94,35	63,23	20,47
-	356	100	572	66,56	95,99	48,00	65,84	104,88	71,06	21,85
350	356	100	572	66,56	96,69	48,35	65,84	104,88	71,06	21,85
-	371	100	582	67,66	98,23	49,12	67,60	105,58	72,43	29,48
400	406	100	622	72,08	126,13	63,06	72,98	114,71	79,15	31,20
-	426	100	635	73,51	128,74	64,37	75,52	117,51	81,78	31,81

HVAC and process pipes claddings

Material stainless steel EN 10088-2-1.4301+2B

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentric €/pc	t-connection €/pc	end cap €/pc
500	508	100	722	83,40	181,55	90,77	87,38	138,55	95,32	35,58
-	533	100	752	86,71	187,18	93,59	91,98	144,17	99,50	36,86
600	612	100	831	114,39	280,23	140,11	111,22	177,40	176,22	46,41
-	630	100	842	115,84	285,17	142,58	115,55	182,29	177,96	46,87
700	714	100	922	126,45	393,94	196,97	132,23	197,03	191,89	55,73
800	813	100	1026	141,85	438,46	219,23	157,90	221,99	211,47	67,86
900	914	100	1132	155,90	568,46	284,23	183,44	242,46	231,21	81,00
1000	1016	100	1237	169,81	624,84	312,42	206,60	261,95	249,37	97,29
80	89	120	332	32,80	28,37	14,37	37,06	58,34	37,42	11,90
100	114	120	358	35,18	31,28	15,83	41,57	63,41	39,50	12,64
125	140	120	385	37,64	36,73	18,55	44,01	67,00	41,03	13,33
150	168	120	424	41,20	40,27	20,14	47,85	71,57	43,66	17,14
-	178	120	424	41,20	40,27	20,14	47,85	71,57	43,66	17,14
200	219	120	464	44,84	47,39	23,69	52,75	80,33	55,25	18,53
-	230	120	478	46,12	49,29	24,65	54,06	83,66	56,48	18,84
250	273	120	530	61,92	67,86	33,93	60,73	94,35	63,23	20,47
-	289	120	542	63,24	73,34	36,67	62,37	96,11	66,31	20,87
300	324	120	582	67,66	98,14	49,07	67,60	105,58	72,43	29,48
-	356	120	612	70,97	102,07	51,04	70,94	112,25	78,26	30,77
350	356	120	612	70,97	102,63	51,32	70,94	112,25	78,26	30,77
-	371	120	622	72,08	104,51	52,25	72,98	114,71	79,15	31,20
400	406	120	661	76,39	148,02	74,01	78,17	121,73	85,58	32,96
-	426	120	675	77,93	150,14	75,07	80,32	123,48	86,88	33,43
500	508	120	768	88,48	190,62	95,31	93,40	147,68	102,20	37,37
-	533	120	792	91,13	195,73	97,87	96,22	151,54	102,20	37,37
600	612	120	872	119,82	293,00	146,50	122,30	184,83	182,87	48,28
-	630	120	882	121,15	297,01	148,50	124,83	187,63	183,35	48,87
700	714	120	975	133,47	415,19	207,60	146,53	212,46	202,51	60,96
800	813	120	1067	147,28	453,36	226,68	167,58	228,72	218,56	72,30
900	914	120	1172	161,20	589,43	294,72	192,71	249,90	238,07	87,19
1000	1016	120	1277	175,11	649,72	324,86	213,34	268,39	255,74	104,87
125	140	140	424	41,20	40,27	20,14	47,85	71,57	43,66	17,14
150	168	140	464	44,84	47,39	23,69	52,75	80,33	55,25	18,53
200	219	140	517	60,48	58,41	29,21	58,89	91,19	61,73	20,07
250	273	140	568	66,11	72,21	36,11	65,13	103,47	69,83	21,66
300	324	140	622	72,08	104,61	52,31	72,98	114,71	79,15	31,20
-	356	140	647	74,84	107,89	53,95	76,47	118,92	83,05	32,31
350	356	140	647	74,84	123,31	61,66	76,47	118,92	83,05	32,31
-	371	140	661	76,39	125,96	62,98	78,17	121,73	85,58	32,96
400	406	140	702	81,19	155,20	77,60	84,63	134,70	92,16	34,72
-	426	140	712	82,29	157,40	78,70	86,32	136,45	93,74	35,15
500	508	140	802	110,54	227,75	113,88	107,98	173,34	172,30	45,03
-	533	140	831	114,39	235,30	117,65	111,22	177,40	176,22	46,41
600	612	140	912	125,12	308,64	154,32	131,58	194,23	189,67	54,81
-	630	140	922	126,45	315,05	157,52	132,23	197,03	191,89	55,73
700	714	140	1012	140,00	430,30	215,15	150,58	215,96	206,86	66,36
800	813	140	1107	152,59	468,35	234,17	177,07	236,99	225,63	77,74
900	914	140	1212	166,50	614,68	307,34	202,61	257,89	245,62	94,52
1000	1016	140	1317	180,42	669,66	334,83	220,07	273,58	262,14	112,16

HVAC and process pipes claddings

Material stainless steel EN 10088-2-1.4301+2B

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentral €/pc	t-connection €/pc	end cap €/pc
150	168	160	504	59,04	57,09	28,55	56,56	88,04	60,17	19,67
200	219	160	556	64,79	65,97	32,98	64,58	101,90	68,30	21,55
250	273	160	612	70,97	77,51	38,75	70,94	112,25	78,26	30,77
300	324	160	661	76,39	110,87	55,44	78,17	121,73	85,58	32,96
350	356	160	687	79,26	129,84	64,92	81,83	125,94	88,78	34,03
400	406	160	742	85,61	162,17	81,09	89,59	142,42	98,43	36,44
-	426	160	768	88,48	167,55	83,78	93,40	147,68	102,20	37,37
500	508	160	842	115,84	239,22	119,61	115,55	182,29	177,96	46,87
-	533	160	872	119,82	246,00	123,00	122,30	184,83	182,87	48,28
600	612	160	940	128,83	323,69	161,84	134,77	201,38	192,87	56,65
-	630	160	962	131,75	327,15	163,57	141,72	206,43	200,42	59,75
700	714	160	1052	145,30	445,23	222,61	160,89	223,95	212,74	70,38
800	813	160	1147	157,89	482,64	241,32	186,56	244,85	233,58	83,18
900	914	160	1252	171,80	637,38	318,69	209,63	264,84	251,78	100,60
1000	1016	160	1360	186,11	690,98	345,49	228,02	281,08	270,05	123,80

NOTE! Prices printed on blue background are stock products. Other than stock products prices are valid with minimum order 5 pieces/product. VAT 0 %.

Pricing policy for pipe claddings which are cut to a specific length according to order:

Length under 500 mm, increase +25% compared to standard price

Length 500 - 1000 mm, increase +35% compared to standard price