

**Air condition and ventilation claddings**

Material aluminium sheet metal EN 3103H16

Duct outer diameter	Insulation thickness	Cladding outer diameter	pipe €/m	1 xD elbow 90 €/pc	1 xD elbow 45 €/pc	1 x D elbow 30 €/pc	reduction central €/pc	reduction eccentral €/pc	t-piece €/pc	t-connection €/pc	end cap €/pc
63	30	133	5,09	7,15	5,24	3,52	11,65	13,00	34,94	12,49	1,76
63	40	160	8,19	8,02	5,66	3,81	12,67	13,98	38,05	13,35	2,34
63	50	173	8,77	8,16	5,95	4,01	13,16	14,70	39,01	13,62	2,56
63	60	199	9,92	8,86	6,23	4,21	13,74	16,69	40,51	14,61	3,23
63	80	238	11,85	10,93	7,18	4,86	15,26	19,67	48,13	15,59	3,73
63	100	278	13,62	12,44	8,70	5,91	16,65	22,99	51,86	16,79	4,54
80	30	160	8,19	8,02	5,66	3,81	12,67	13,98	38,05	13,35	2,34
80	40	173	8,77	8,16	5,95	4,01	13,16	14,70	39,01	13,62	2,56
80	50	199	9,92	8,86	6,23	4,21	13,74	16,69	40,51	14,61	3,23
80	60	213	10,75	9,69	6,74	4,57	14,43	17,68	41,64	14,95	3,40
80	80	253	12,52	11,07	7,32	4,96	15,71	20,66	49,49	15,95	4,09
80	100	292	14,24	13,54	9,03	6,14	17,45	24,10	53,22	18,28	4,93
100	20	160	8,19	8,02	5,66	3,87	12,67	13,98	38,05	13,35	2,34
100	30	173	8,77	8,16	5,95	4,01	13,16	14,70	39,01	13,62	2,56
100	40	199	9,92	8,86	6,23	4,21	13,74	16,69	40,51	14,61	3,23
100	50	213	10,75	9,69	6,74	4,57	14,43	17,68	41,64	14,95	3,40
100	60	238	11,85	10,93	7,18	4,86	15,26	19,67	48,13	15,59	3,73
100	80	278	13,62	12,44	8,70	5,91	16,65	22,99	51,86	16,79	4,54
100	100	318	15,60	16,39	10,40	7,06	21,38	29,78	60,98	22,13	6,23
125	20	173	8,77	8,16	5,95	4,01	13,16	14,70	39,01	13,62	2,56
125	30	199	9,92	8,86	6,23	4,21	13,74	16,69	40,51	14,61	3,23
125	40	225	11,28	10,07	7,06	4,78	15,05	18,67	42,43	15,27	3,56
125	50	238	11,85	10,93	7,18	4,86	15,26	19,67	48,13	15,59	3,73
125	60	266	13,09	12,02	8,46	5,75	16,20	21,80	50,42	16,27	4,27
125	80	304	14,98	14,35	9,57	6,50	17,77	25,26	59,48	21,71	5,51
125	100	345	16,80	17,72	12,66	8,62	22,67	31,97	64,12	22,98	6,55
160	20	213	10,75	9,69	6,74	4,64	14,43	17,68	41,64	14,95	3,40
160	30	238	11,85	10,93	7,18	4,86	15,26	19,67	48,13	15,59	3,73
160	40	253	12,52	11,07	7,32	4,96	15,71	20,66	49,49	15,95	4,09
160	50	278	13,62	12,44	8,25	5,91	16,65	22,99	51,86	16,79	4,54
160	60	292	14,24	13,54	9,03	6,14	17,45	24,10	53,22	18,28	4,93
160	80	332	16,22	17,04	10,82	7,34	21,73	30,95	62,48	22,57	6,40
160	100	371	17,95	19,94	14,18	9,65	24,31	34,50	66,97	24,05	6,95
200	20	253	12,52	11,28	7,74	5,11	15,71	20,66	49,49	15,95	4,09
200	30	270	13,27	12,73	8,46	5,75	16,42	22,18	51,21	16,46	4,38
200	40	292	14,24	13,54	9,03	6,14	17,45	24,10	53,22	18,28	4,93
200	50	318	15,60	16,39	10,40	7,06	21,38	29,78	60,98	22,13	6,23
200	60	332	16,22	17,04	10,82	7,34	21,73	30,95	62,48	22,57	6,40
200	80	371	17,95	19,94	14,18	9,65	24,31	34,50	66,97	24,05	6,95
200	100	411	19,72	24,87	17,21	12,36	26,61	35,94	70,42	25,50	7,51
200	120	451	21,49	27,20	17,00	13,53	29,02	40,25	75,83	30,26	9,23
250	20	304	14,98	16,31	9,43	6,61	17,77	25,26	59,48	21,71	5,51
250	30	318	15,60	16,39	10,40	7,07	21,38	29,78	60,98	22,13	6,23
250	40	345	16,80	17,72	12,66	8,62	22,67	31,97	64,12	22,98	6,55
250	50	364	17,64	19,69	14,10	9,59	23,86	33,33	65,90	23,83	6,90
250	60	385	18,57	23,47	16,38	11,25	24,99	34,94	68,47	24,54	7,12
250	80	424	20,29	25,89	18,23	12,95	27,12	37,42	71,77	25,96	8,77
250	100	464	22,07	27,94	20,46	13,97	29,68	41,59	78,01	30,98	9,47
250	120	504	33,94	35,80	27,35	19,49	36,37	54,72	102,50	38,47	12,15
250	140	542	36,33	51,31	30,07	20,64	40,22	59,91	112,32	42,58	12,89

**Air condition and ventilation claddings**

Material aluminium sheet metal EN 3103H16

Duct outer diameter	Insulation thickness	Cladding outer diameter	pipe €/m	1 x D elbow 90 €/pc	1 x D elbow 45 €/pc	1 x D elbow 30 €/pc	reduction central €/pc	reduction eccentral €/pc	t-piece €/pc	t-connection €/pc	end cap €/pc
315	20	364	17,64	23,33	13,54	10,06	23,86	33,33	65,90	23,83	6,90
315	30	385	18,57	23,47	16,38	11,18	24,99	34,94	68,47	24,54	7,12
315	40	411	19,72	24,87	17,21	12,36	26,61	35,94	70,42	25,50	7,51
315	50	424	20,29	25,89	18,23	12,95	27,12	37,42	71,77	25,96	8,77
315	60	464	22,07	27,94	20,46	13,97	29,68	41,59	78,01	30,98	9,47
315	80	491	23,26	28,70	21,88	14,77	31,00	43,85	83,82	32,14	9,81
315	100	527	35,39	43,85	29,45	19,64	38,65	57,81	108,31	39,91	12,60
315	120	567	37,90	54,61	31,70	21,75	42,04	63,81	144,75	44,83	13,37
315	140	607	40,42	58,41	33,80	23,19	45,00	68,40	154,14	47,93	18,45
400	20	451	21,49	31,55	16,86	13,95	29,02	40,25	75,83	30,26	9,23
400	30	470	22,33	35,36	21,02	14,38	30,21	42,65	79,83	31,35	9,53
400	40	491	23,26	36,97	22,16	15,15	31,00	43,85	83,82	32,14	9,81
400	50	512	34,44	49,46	28,58	19,61	37,34	55,42	104,18	38,94	12,27
400	60	542	36,33	51,31	30,07	20,50	40,22	59,91	112,32	42,58	12,89
400	80	572	38,22	55,22	32,05	21,99	42,56	65,30	146,20	45,66	13,48
400	100	612	40,73	58,69	34,06	23,37	45,91	70,00	157,76	50,38	18,61
400	120	652	43,25	62,80	36,40	24,97	49,98	74,90	164,96	54,31	19,69
400	140	692	45,77	66,04	38,42	26,37	53,80	79,29	172,22	58,01	20,72
500	20	567	37,90	53,41	29,51	20,93	42,04	63,81	144,75	44,83	13,37
500	30	572	38,22	55,22	32,05	21,99	42,56	65,30	146,20	45,66	13,48
500	40	592	39,48	56,99	33,09	22,70	44,35	66,90	149,73	47,21	18,10
500	50	612	40,73	58,69	34,06	23,37	45,91	70,00	157,76	50,38	18,61
500	60	642	42,62	61,08	35,41	24,29	48,87	73,49	161,35	52,86	19,28
500	80	672	44,70	64,37	37,47	25,71	51,89	77,09	168,49	56,16	20,20
500	100	712	47,23	67,61	39,16	26,88	55,76	84,98	177,48	60,69	21,23
500	120	752	49,75	71,43	41,42	28,42	59,43	89,87	183,09	64,53	22,25
500	140	792	52,27	74,65	43,29	29,72	62,21	94,46	205,03	94,19	23,28
630	20	692	45,77	80,97	51,77	29,53	53,80	79,29	172,22	58,01	20,72
630	30	702	46,60	89,53	61,52	42,54	54,71	83,88	174,89	59,66	20,97
630	40	722	47,86	92,74	63,63	43,98	56,46	86,27	179,90	61,71	21,48
630	50	742	49,12	94,69	64,94	44,89	57,98	88,77	180,50	63,82	22,00
630	60	768	50,76	98,40	67,53	46,41	60,42	92,07	189,69	66,27	22,57
630	80	802	53,10	102,81	70,89	49,12	63,96	96,26	211,57	95,83	23,59
630	100	842	55,62	107,00	73,33	50,69	67,86	100,85	216,01	98,76	24,50
630	120	882	58,13	111,65	76,57	52,94	72,87	104,05	223,35	101,60	25,51
630	140	922	60,65	119,32	82,22	56,79	77,14	109,34	232,55	106,18	28,82
630	160	962	63,17	124,26	85,48	59,04	82,40	114,64	241,74	110,76	30,79
800	20	852	56,25	129,36	69,14	40,79	69,48	101,30	217,92	100,04	24,76
800	30	872	57,50	138,39	75,71	52,35	71,51	102,55	220,82	101,26	25,21
800	40	892	58,76	141,12	77,16	53,35	74,77	105,85	226,09	103,39	25,76
800	50	912	60,02	145,79	80,12	55,37	76,68	107,85	229,70	104,90	28,37
800	60	940	61,78	150,44	83,01	57,34	78,64	111,74	235,28	106,78	29,28
800	80	975	63,99	156,94	86,39	59,67	84,99	117,83	244,22	112,02	31,40
800	100	1012	67,54	166,29	91,46	63,19	87,21	119,83	249,74	114,35	34,00
800	120	1052	70,06	171,93	94,34	65,19	92,56	124,12	274,80	117,54	35,97
800	140	1092	72,58	177,43	97,33	67,27	99,32	129,81	283,37	123,31	38,58
800	160	1132	75,09	183,15	100,47	69,45	104,63	134,40	291,76	127,50	41,14
1000	20	1052	70,06	237,04	94,34	65,19	92,56	124,12	274,80	117,54	35,97
1000	30	1072	71,32	244,79	95,88	66,26	97,11	127,81	279,47	121,72	37,45
1000	40	1092	72,58	248,92	97,33	67,27	99,32	129,81	283,37	123,31	38,58
1000	50	1112	73,83	253,26	98,94	68,38	102,12	132,61	287,64	125,31	39,79
1000	60	1132	75,09	257,22	100,47	69,45	104,63	134,40	291,76	127,50	41,14
1000	80	1172	77,61	265,69	103,53	71,57	109,63	138,60	300,10	131,28	44,16
1000	100	1212	80,13	276,66	108,83	75,19	114,78	142,89	307,16	135,27	47,70
1000	120	1252	82,64	287,31	113,53	78,40	118,44	146,54	313,67	138,45	50,62
1000	140	1292	85,16	295,64	116,69	80,59	121,78	149,48	389,86	141,64	54,32
1000	160	1332	87,68	297,01	120,11	82,95	125,54	153,17	399,48	145,23	58,47

**Air condition and ventilation claddings**

Material aluminium sheet metal EN 3103H16

Duct outer diameter	Insulation thickness	Cladding outer diameter	pipe €/m	1 xD elbow 90 €/pc	1 xD elbow 45 €/pc	1 x D elbow 30 €/pc	reduction central €/pc	reduction eccentral €/pc	t-piece €/pc	t-connection €/pc	end cap €/pc
1250	20	1302	85,79	298,48	130,27	87,51	123,75	150,41	391,28	142,55	54,77
1250	30	1322	87,05	304,58	162,52	112,64	124,49	152,07	395,86	144,43	57,02
1250	40	1342	88,31	307,27	164,99	114,34	126,59	154,27	402,38	146,42	60,32
1250	50	1362	89,57	311,55	167,35	115,99	128,67	156,02	407,64	148,61	62,76
1250	60	1382	90,82	315,87	169,70	117,61	130,32	157,51	412,57	150,01	65,01
1250	80	1422	93,34	324,86	174,55	120,97	133,82	160,71	422,35	153,39	67,79
1250	100	1462	95,86	333,75	179,32	124,28	136,67	163,20	428,61	156,18	69,46
1250	120	1502	98,38	342,68	184,13	127,61	139,83	166,01	432,49	158,97	71,09
1250	140	1542	100,89	351,17	188,90	130,92	142,61	168,44	435,82	161,56	72,74
1250	160	1582	103,41	360,38	193,77	134,29	145,60	171,07	447,71	164,69	74,39

NOTE! Prices are valid with minimum order 5 pieces/product.

VAT 0 %.

**Pricing policy for pipe claddings which are cut to a specific length according to order:**

Length under 500 mm, increase +25% compared to standard price

Length 500 - 1000 mm, increase +35% compared to standard price