

HVAC and process pipes claddings

Material aluminium EN 3103H16

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentral €/pc	t-connection €/pc	end cap €/pc
-	12	20	70	3,31	4,89	3,20	10,64	11,93	11,50	1,57
-	15	20	70	3,31	4,89	3,20	10,64	11,93	11,50	1,57
10	18	20	70	3,31	4,89	3,20	10,64	11,93	11,50	1,57
15	22	20	76	3,52	4,91	3,21	10,79	12,14	11,71	1,59
20	28	20	76	3,52	4,91	3,21	10,79	12,14	11,71	1,59
25	35	20	86	3,85	4,43	2,87	10,92	12,35	11,85	1,62
32	42	20	96	4,19	4,52	2,92	11,08	12,56	12,01	1,66
40	48	20	96	4,19	4,52	2,92	11,08	12,56	12,01	1,66
-	12	30	86	3,85	4,43	2,87	10,92	12,35	11,85	1,62
-	15	30	86	3,85	4,43	2,87	10,92	12,35	11,85	1,62
10	18	30	86	3,85	4,43	2,87	10,92	12,35	11,85	1,62
15	22	30	96	4,19	4,52	2,92	11,08	12,56	12,01	1,66
20	28	30	96	4,19	4,52	2,92	11,08	12,56	12,01	1,66
25	35	30	106	4,53	4,64	2,98	11,41	12,77	12,13	1,69
32	42	30	115	4,84	4,70	3,01	11,50	12,86	12,30	1,72
40	48	30	115	4,84	4,70	3,01	11,50	12,86	12,30	1,72
-	54	30	122	5,07	4,76	3,04	11,59	12,98	12,47	1,75
50	60	30	122	5,07	4,76	3,04	11,59	12,98	12,47	1,75
-	64	30	133	5,44	5,07	3,22	11,81	13,19	12,67	1,80
-	70	30	133	5,44	5,07	3,22	11,81	13,19	12,67	1,80
65	76	30	146	5,88	5,14	3,26	12,02	13,40	12,86	1,86
80	89	30	160	8,71	6,03	3,74	12,88	14,22	13,57	2,40
-	102	30	173	9,32	6,28	3,86	13,39	14,97	13,84	2,63
100	114	30	185	9,89	8,66	4,33	13,59	16,02	14,57	2,96
-	127	30	199	10,55	8,85	4,43	14,00	17,07	14,89	3,32
-	12	40	106	4,53	4,64	2,98	11,41	12,77	12,13	1,69
-	15	40	106	4,53	4,64	2,98	11,41	12,77	12,13	1,69
10	18	40	106	4,53	4,64	2,98	11,41	12,77	12,13	1,69
15	22	40	115	4,84	4,70	3,01	11,50	12,86	12,30	1,72
20	28	40	115	4,84	4,70	3,01	11,50	12,86	12,30	1,72
25	35	40	122	5,07	4,76	3,04	11,59	12,98	12,47	1,75
32	42	40	133	5,44	5,07	3,22	11,81	13,19	12,67	1,80
40	48	40	133	5,44	5,07	3,22	11,81	13,19	12,67	1,80
-	54	40	146	5,88	5,14	3,26	12,02	13,40	12,86	1,86
50	60	40	146	5,88	5,14	3,26	12,02	13,40	12,86	1,86
-	64	40	146	5,88	5,14	3,26	12,02	13,40	12,86	1,86
-	70	40	160	8,71	6,03	3,74	12,88	14,22	13,57	2,40
65	76	40	160	8,71	6,03	3,74	12,88	14,22	13,57	2,40
80	89	40	173	9,32	6,28	3,86	13,39	14,97	13,84	2,63
-	102	40	199	10,55	6,99	4,23	14,00	17,07	14,89	3,32
100	114	40	199	10,55	8,85	4,43	14,00	17,07	14,89	3,32
-	127	40	213	11,41	9,18	4,59	14,73	18,12	15,24	3,50
125	140	40	225	11,98	10,36	5,18	15,37	19,17	15,56	3,66
150	168	40	253	13,30	12,12	6,06	16,05	21,28	16,27	4,22
-	178	40	266	13,91	12,54	6,27	16,57	22,48	16,61	4,41

HVAC and process pipes claddings

Material aluminium EN 3103H16

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentral €/pc	t-connection €/pc	end cap €/pc
200	219	40	304	15,91	16,15	8,07	18,22	26,13	22,18	5,67
-	230	40	318	16,57	16,88	8,44	21,90	30,76	22,62	6,43
250	273	40	358	18,46	22,65	11,45	24,33	34,32	24,15	7,01
-	289	40	385	19,74	24,84	12,54	25,68	36,19	25,10	7,36
300	324	40	411	20,96	32,57	16,29	27,36	37,20	26,10	7,76
-	356	40	436	22,14	34,60	17,30	29,04	40,30	27,06	9,28
15	22	50	133	5,44	5,07	3,22	11,81	13,19	12,67	1,80
20	28	50	133	5,44	5,07	3,22	11,81	13,19	12,67	1,80
25	35	50	146	5,88	5,14	3,26	12,02	13,40	12,86	1,86
32	42	50	160	8,71	6,03	3,74	12,88	14,22	13,57	2,40
40	48	50	160	8,71	6,03	3,74	12,88	14,22	13,57	2,40
-	54	50	160	8,71	6,03	3,74	12,88	14,22	13,57	2,40
50	60	50	173	9,32	6,28	3,86	13,39	14,97	13,84	2,63
-	64	50	173	9,32	6,28	3,86	13,39	14,97	13,84	2,63
-	70	50	173	9,32	6,28	3,86	13,39	14,97	13,84	2,63
65	76	50	185	9,89	6,66	4,24	13,59	16,02	14,57	2,96
80	89	50	199	10,55	6,99	4,23	14,00	17,07	14,89	3,32
-	102	50	213	11,41	7,50	4,50	14,73	18,12	15,24	3,50
100	114	50	225	11,98	9,72	4,86	15,37	19,17	15,56	3,66
-	127	50	238	12,59	10,04	5,02	15,59	20,22	15,90	3,84
125	140	50	253	13,30	11,09	5,54	16,05	21,28	16,27	4,22
150	168	50	278	14,48	12,77	6,56	17,04	23,73	17,13	4,68
-	178	50	292	15,14	12,97	6,66	17,89	24,90	18,71	5,09
200	219	50	332	17,24	17,27	8,76	22,27	32,00	23,07	6,61
-	230	50	345	17,85	19,16	9,09	23,26	33,08	23,50	6,77
250	273	50	385	19,74	24,84	12,54	25,68	36,19	25,10	7,36
-	289	50	396	20,25	25,39	12,69	26,45	36,69	25,57	7,50
300	324	50	436	22,14	34,60	17,30	29,04	40,30	27,06	9,28
-	356	50	464	23,46	36,21	18,10	30,53	43,10	31,87	9,83
350	356	50	464	23,46	39,75	19,87	30,53	43,10	31,87	9,83
-	371	50	478	24,12	41,41	20,71	31,37	44,83	32,56	9,96
400	406	50	517	37,26	66,66	33,33	39,28	59,37	40,99	13,01
-	426	50	542	38,95	74,96	37,48	41,67	62,68	44,17	13,52
500	508	50	622	44,36	99,26	49,63	48,84	74,80	52,86	19,91
-	533	50	647	46,05	103,14	51,57	51,18	77,60	55,53	20,62
600	612	50	722	51,33	133,71	66,86	58,47	90,28	63,87	22,68
-	630	50	742	52,68	135,98	67,99	60,02	92,87	66,03	23,23
700	714	50	831	58,90	160,37	80,19	68,02	102,91	102,32	25,63
800	813	50	922	65,05	217,75	108,88	80,06	114,38	111,13	30,51
900	914	50	1026	73,32	282,08	141,04	94,62	128,72	122,28	36,84
1000	1016	50	1132	80,49	306,80	153,40	108,98	140,63	133,51	43,68
25	35	60	160	8,71	6,03	3,74	12,88	14,22	13,57	2,40
32	42	60	173	9,32	6,28	3,86	13,39	14,97	13,84	2,63
40	48	60	173	9,32	6,28	3,86	13,39	14,97	13,84	2,63
-	54	60	185	9,89	6,66	4,24	13,59	16,02	14,57	2,96
50	60	60	185	9,89	6,66	4,24	13,59	16,02	14,57	2,96
-	64	60	199	10,55	6,99	4,24	14,00	17,07	14,89	3,32
-	70	60	199	10,55	6,99	4,23	14,00	17,07	14,89	3,32
65	76	60	199	10,55	6,99	4,24	14,00	17,07	14,89	3,32
80	89	60	213	11,41	7,50	4,50	14,73	18,12	15,24	3,50

HVAC and process pipes claddings

Material aluminium EN 3103H16

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentral €/pc	t-connection €/pc	end cap €/pc
-	102	60	225	11,98	9,72	4,86	15,37	19,17	15,56	3,66
100	114	60	238	12,59	10,04	5,02	15,59	20,22	15,90	3,84
-	127	60	253	13,30	10,67	5,33	16,05	21,28	16,27	4,22
125	140	60	266	13,91	11,42	5,71	16,57	22,48	16,61	4,41
150	168	60	304	15,91	13,30	6,83	18,22	26,13	22,18	5,67
-	178	60	310	16,20	13,66	6,83	18,38	26,42	22,34	5,74
200	219	60	345	17,85	19,16	9,09	23,26	33,08	23,50	6,77
-	230	60	358	18,46	18,63	9,44	24,33	34,32	24,15	7,01
250	273	60	411	20,96	25,59	12,79	27,36	37,20	26,10	7,76
-	289	60	424	21,58	27,19	13,59	27,88	38,75	26,58	9,10
300	324	60	451	22,85	35,61	17,80	29,84	41,70	31,12	9,58
-	356	60	491	24,74	38,56	19,28	31,88	45,46	33,08	10,19
350	356	60	491	24,74	42,00	21,00	31,88	45,46	33,08	10,19
-	371	60	504	36,38	53,84	26,92	37,72	57,29	39,96	12,75
400	406	60	542	38,95	74,96	37,48	41,67	62,68	44,17	13,52
-	426	60	556	39,90	76,00	38,00	43,18	66,38	45,50	13,95
500	508	60	635	45,24	101,30	50,65	50,53	76,66	54,66	20,30
-	533	60	661	46,99	105,36	52,68	52,36	79,47	57,26	21,03
600	612	60	742	52,68	135,98	67,99	60,02	92,87	66,03	23,23
-	630	60	768	54,43	140,62	70,31	62,55	96,31	68,56	23,83
700	714	60	842	59,64	163,20	81,60	70,36	105,55	103,31	25,88
800	813	60	940	66,27	223,78	111,89	81,63	116,89	111,75	30,99
900	914	60	1052	75,08	288,82	144,41	96,28	129,87	123,04	38,14
1000	1016	60	1156	82,11	312,94	156,47	112,45	143,86	136,24	45,35
25	35	80	199	10,55	6,99	4,23	14,00	17,07	14,89	3,32
32	42	80	213	11,41	7,50	4,50	14,73	18,12	15,24	3,50
40	48	80	213	11,41	7,50	4,50	14,73	18,12	15,24	3,50
-	54	80	225	11,98	9,72	4,86	15,37	19,17	15,56	3,66
50	60	80	225	11,98	9,72	4,86	15,37	19,17	15,56	3,66
-	64	80	238	12,59	10,04	5,02	15,59	20,22	15,90	3,84
-	70	80	238	12,59	8,46	5,02	15,59	20,22	15,90	3,84
65	76	80	238	12,59	10,04	5,02	15,59	20,22	15,90	3,84
80	89	80	253	13,30	10,67	5,33	16,05	21,28	16,27	4,22
-	102	80	278	14,48	11,80	5,90	17,04	23,73	17,13	4,68
100	114	80	292	15,14	12,19	6,10	17,89	24,90	18,71	5,09
-	127	80	292	15,14	12,43	6,22	17,89	24,90	18,71	5,09
125	140	80	318	16,57	13,86	6,93	21,90	30,76	22,62	6,43
150	168	80	345	17,85	17,00	8,01	23,26	33,08	23,50	6,77
-	178	80	345	17,85	17,00	8,01	23,26	33,08	23,50	6,77
200	219	80	385	19,74	20,45	10,35	25,68	36,19	25,10	7,36
-	230	80	396	20,25	21,01	10,50	26,45	36,69	25,57	7,50
250	273	80	451	22,85	28,09	14,04	29,84	41,70	31,12	9,58
-	289	80	464	23,46	29,43	14,72	30,53	43,10	31,87	9,83
300	324	80	491	24,74	38,56	19,28	31,88	45,46	33,08	10,19
-	356	80	530	38,14	50,66	25,33	40,54	61,45	41,99	13,26
350	356	80	530	38,14	56,54	28,27	40,54	61,45	41,99	13,26
-	371	80	542	38,95	61,72	30,86	41,67	62,68	44,17	13,52
400	406	80	582	41,65	74,54	37,27	45,21	68,84	48,29	18,82
-	426	80	592	42,33	76,14	38,07	45,93	69,99	48,94	19,10
500	508	80	687	48,75	108,49	54,25	54,73	82,19	59,41	21,70

HVAC and process pipes claddings

Material aluminium EN 3103H16

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentral €/pc	t-connection €/pc	end cap €/pc
-	533	80	702	49,97	110,44	55,22	56,65	87,77	61,75	22,14
600	612	80	792	56,06	144,21	72,10	64,42	98,82	98,51	24,58
-	630	80	802	56,94	146,51	73,26	66,23	100,69	100,21	24,91
700	714	80	882	62,35	169,86	84,93	75,63	108,86	106,31	26,95
800	813	80	986	69,38	231,99	115,99	89,61	124,64	118,38	33,82
900	914	80	1092	77,78	297,21	148,60	103,39	135,82	129,12	40,94
1000	1016	80	1196	84,82	325,56	162,78	117,51	147,94	140,14	48,51
40	48	100	253	13,30	9,07	5,33	16,05	21,28	16,27	4,22
-	54	100	266	13,91	11,42	5,71	16,57	22,48	16,61	4,41
50	60	100	266	13,91	11,42	5,71	16,57	22,48	16,61	4,41
-	64	100	278	14,48	11,80	5,90	17,04	23,73	17,13	4,68
65	76	100	292	15,14	12,19	6,10	17,89	24,90	18,71	5,09
80	89	100	304	15,91	12,76	6,38	18,22	26,13	22,18	5,67
100	114	100	332	17,24	14,18	7,21	22,27	32,00	23,07	6,61
-	127	100	332	17,24	14,89	7,57	22,27	32,00	23,07	6,61
125	140	100	345	17,85	17,00	8,01	23,26	33,08	23,50	6,77
150	168	100	385	19,74	19,09	9,67	25,68	36,19	25,10	7,36
-	178	100	385	19,74	19,09	9,67	25,68	36,19	25,10	7,36
200	219	100	424	21,58	22,42	11,21	27,88	38,75	26,58	9,10
-	230	100	436	22,14	22,95	11,48	29,04	40,30	27,06	9,28
250	273	100	491	24,74	31,08	15,54	31,88	45,46	33,08	10,19
-	289	100	504	36,38	40,43	20,22	37,72	57,29	39,96	12,75
300	324	100	530	38,14	51,24	25,62	40,54	61,45	41,99	13,26
-	356	100	572	40,98	60,29	30,15	44,07	68,34	47,36	14,15
350	356	100	572	40,98	60,72	30,36	44,07	68,34	47,36	14,15
-	371	100	582	41,65	61,68	30,84	45,21	68,84	48,29	18,82
400	406	100	622	44,36	79,41	39,70	48,84	74,80	52,86	19,91
-	426	100	635	45,24	81,05	40,52	50,53	76,66	54,66	20,30
500	508	100	722	51,33	113,56	56,78	58,47	90,28	63,87	22,68
-	533	100	752	53,35	117,06	58,53	61,55	94,02	66,76	23,50
600	612	100	831	58,90	151,23	75,62	68,02	102,91	102,32	25,63
-	630	100	842	59,64	153,92	76,96	70,36	105,55	103,31	25,88
700	714	100	922	65,05	213,29	106,65	80,06	114,38	111,13	30,51
800	813	100	1026	73,32	239,68	119,84	94,62	128,72	122,28	36,84
900	914	100	1132	80,49	306,80	153,40	108,98	140,63	133,51	43,68
1000	1016	100	1237	87,59	338,51	169,26	121,86	151,73	143,71	52,12
80	89	120	345	17,85	16,45	7,74	23,26	33,08	23,50	6,77
100	114	120	371	19,07	17,20	8,73	24,68	34,70	24,61	7,08
125	140	120	385	19,74	19,09	9,67	25,68	36,19	25,10	7,36
150	168	120	424	21,58	20,94	10,47	27,88	38,75	26,58	9,10
-	178	120	424	21,58	20,94	10,47	27,88	38,75	26,58	9,10
200	219	120	464	23,46	24,25	12,12	30,53	43,10	31,87	9,83
-	230	120	478	24,12	25,29	12,65	31,37	44,83	32,56	9,96
250	273	120	530	38,14	42,49	21,24	40,54	61,45	41,99	13,26
-	289	120	542	38,95	46,06	23,03	41,67	62,68	44,17	13,52
300	324	120	582	41,65	61,63	30,81	45,21	68,84	48,29	18,82
-	356	120	612	43,68	64,10	32,05	47,53	73,22	52,23	19,64
350	356	120	612	43,68	64,45	32,22	47,53	73,22	52,23	19,64
-	371	120	622	44,36	65,62	32,81	48,84	74,80	52,86	19,91
400	406	120	661	46,99	92,93	46,47	52,36	79,47	57,26	21,03

HVAC and process pipes claddings

Material aluminium EN 3103H16

DN	insulation pipe inner diameter	Insulation thickness	Cladding outer diameter	pipe €/m	elbow 90 €/pc	elbow 45 €/pc	reduction central €/pc	reduction eccentric €/pc	t-connection €/pc	end cap €/pc
-	426	120	675	47,94	94,25	47,13	53,74	80,61	58,15	21,33
500	508	120	768	54,43	119,19	59,59	62,55	96,31	68,56	23,83
-	533	120	792	56,06	122,36	61,18	64,42	98,82	98,51	24,58
600	612	120	872	61,67	158,09	79,04	74,20	107,28	105,97	26,64
-	630	120	882	62,35	160,25	80,13	75,63	108,86	106,31	26,95
700	714	120	975	68,64	224,77	112,38	88,29	123,27	117,25	33,25
800	813	120	1067	76,09	247,57	123,79	99,96	132,59	126,25	39,15
900	914	120	1172	83,19	317,93	158,97	114,24	145,00	137,48	46,90
1000	1016	120	1277	90,29	351,81	175,90	125,56	155,31	147,19	56,02
125	140	140	436	22,14	21,14	10,57	29,04	40,30	27,06	9,28
150	168	140	464	23,46	24,25	12,12	30,53	43,10	31,87	9,83
200	219	140	517	37,26	36,69	18,34	39,28	59,37	40,99	13,01
250	273	140	568	40,71	45,21	22,60	43,57	67,40	46,51	14,02
300	324	140	622	44,36	65,68	32,84	48,84	74,80	52,86	19,91
-	356	140	647	46,05	67,76	33,88	51,18	77,60	55,53	20,62
350	356	140	647	46,05	77,19	38,59	51,18	77,60	55,53	20,62
-	371	140	661	46,99	78,85	39,43	52,36	79,47	57,26	21,03
400	406	140	702	49,97	97,40	48,70	56,65	87,77	61,75	22,14
-	426	140	712	50,65	98,76	49,38	57,75	88,92	62,81	22,41
500	508	140	802	56,94	124,17	62,09	66,23	100,69	100,21	24,91
-	533	140	831	58,90	128,31	64,16	68,02	102,91	102,32	25,63
600	612	140	912	64,38	166,87	83,44	79,60	112,81	109,80	30,02
-	630	140	922	65,05	170,58	85,29	80,06	114,38	111,13	30,51
700	714	140	1012	72,38	232,76	116,38	90,62	125,36	119,70	36,04
800	813	140	1107	78,80	255,56	127,78	105,33	137,40	130,32	41,98
900	914	140	1212	85,90	332,54	166,27	119,68	149,52	141,68	50,69
1000	1016	140	1317	93,00	362,62	181,31	129,26	158,25	150,69	59,77
150	168	160	504	36,38	35,86	17,93	37,72	57,29	39,96	12,75
200	219	160	556	39,90	41,54	20,77	43,18	66,38	45,50	13,95
250	273	160	612	43,68	48,53	24,26	47,53	73,22	52,23	19,64
300	324	160	661	46,99	69,62	34,81	52,36	79,47	57,26	21,03
350	356	160	687	48,75	81,25	40,63	54,73	82,19	59,41	21,70
400	406	160	742	52,68	101,73	50,86	60,02	92,87	66,03	23,23
-	426	160	768	54,43	105,07	52,54	62,55	96,31	68,56	23,83
500	508	160	842	59,64	130,49	65,24	70,36	105,55	103,31	25,88
-	533	160	872	61,67	134,12	67,06	74,20	107,28	105,97	26,64
600	612	160	940	66,27	175,24	87,62	81,63	116,89	111,75	30,99
-	630	160	962	67,76	177,12	88,56	85,57	119,91	115,95	32,60
700	714	160	1052	75,08	240,63	120,32	96,28	129,87	123,04	38,14
800	813	160	1147	81,50	263,11	131,56	110,70	141,99	134,84	44,80
900	914	160	1252	88,60	345,15	172,58	123,55	153,37	145,05	53,82
1000	1016	160	1360	95,90	374,15	187,08	133,78	162,59	155,18	65,78

NOTE! Prices printed on blue background are stock products. Other than stock products prices are valid with minimum order 5 pieces/product. VAT 0 %.

Pricing policy for pipe claddings which are cut to a specific length according to order:

Length under 500 mm, increase +25% compared to standard price

Length 500 - 1000 mm, increase +35% compared to standard price