

Air condition and ventilation claddings

Material aluminium sheet metal EN 3103H16

Duct outer diameter	Insulation thickness	Cladding outer diameter	pipe €/m	1 x D elbow 90 €/pc	1 x D elbow 45 €/pc	1 x D elbow 30 €/pc	reduction central €/pc	reduction eccentral €/pc	t-piece €/pc	t-connection €/pc	end cap €/pc
63	30	133	7,05	7,61	5,53	3,72	12,44	13,95	38,12	13,37	1,99
63	40	160	11,40	8,83	6,13	4,14	13,79	15,24	42,22	14,50	2,71
63	50	173	12,21	9,03	6,52	4,41	14,43	16,19	43,33	14,82	2,98
63	60	199	13,84	10,01	6,92	4,69	15,16	18,88	45,15	16,12	3,74
63	80	238	16,48	12,72	8,10	5,51	17,14	22,92	55,22	17,30	4,38
63	100	278	18,98	14,63	10,08	6,88	18,88	27,41	59,72	18,71	5,40
80	30	160	11,40	8,83	6,13	4,14	13,79	15,24	42,22	14,50	2,71
80	40	173	12,21	9,03	6,52	4,41	14,43	16,19	43,33	14,82	2,98
80	50	199	13,84	10,01	6,92	4,69	15,16	18,88	45,15	16,12	3,74
80	60	213	14,92	11,13	7,61	5,17	16,07	20,23	46,43	16,53	3,96
80	80	253	17,42	12,91	8,30	5,65	17,67	24,27	56,94	17,73	4,86
80	100	292	19,85	16,08	10,48	7,15	19,99	28,93	61,35	20,74	5,84
100	20	160	11,40	8,83	6,13	4,22	13,79	15,24	42,22	14,50	2,71
100	30	173	12,21	9,03	6,52	4,41	14,43	16,19	43,33	14,82	2,98
100	40	199	13,84	10,01	6,92	4,69	15,16	18,88	45,15	16,12	3,74
100	50	213	14,92	11,13	7,61	5,17	16,07	20,23	46,43	16,53	3,96
100	60	238	16,48	12,72	8,10	5,51	17,14	22,92	55,22	17,30	4,38
100	80	278	18,98	14,63	10,08	6,88	18,88	27,41	59,72	18,71	5,40
100	100	318	21,68	19,50	11,96	8,15	24,40	35,68	71,71	24,90	7,44
125	20	173	12,21	9,03	6,52	4,41	14,43	16,19	43,33	14,82	2,98
125	30	199	13,84	10,01	6,92	4,69	15,16	18,88	45,15	16,12	3,74
125	40	225	15,67	11,57	7,98	5,43	16,89	21,58	47,36	16,91	4,16
125	50	238	16,48	12,72	8,10	5,51	17,14	22,92	55,22	17,30	4,38
125	60	266	18,23	14,10	9,78	6,67	18,36	25,82	58,06	18,12	5,07
125	80	304	20,81	17,00	11,07	7,55	20,41	30,50	69,89	24,38	6,47
125	100	345	23,37	21,06	14,90	10,19	26,10	38,64	75,55	25,93	7,84
160	20	213	14,92	11,13	7,61	5,27	16,07	20,23	46,43	16,53	3,96
160	30	238	16,48	12,72	8,10	5,51	17,14	22,92	55,22	17,30	4,38
160	40	253	17,42	12,91	8,30	5,65	17,67	24,27	56,94	17,73	4,86
160	50	278	18,98	14,63	9,45	6,88	18,88	27,41	59,72	18,71	5,40
160	60	292	19,85	16,08	10,48	7,15	19,99	28,93	61,35	20,74	5,84
160	80	332	22,56	20,27	12,43	8,47	24,84	37,26	73,53	25,43	7,65
160	100	371	25,00	23,51	16,54	11,30	28,22	42,00	78,99	27,19	8,33
200	20	253	17,42	13,21	8,89	5,86	17,67	24,27	56,94	17,73	4,86
200	30	270	18,48	15,09	9,78	6,67	18,61	26,32	58,99	18,32	5,20
200	40	292	19,85	16,08	10,48	7,15	19,99	28,93	61,35	20,74	5,84
200	50	318	21,68	19,50	11,96	8,15	24,40	35,68	71,71	24,90	7,44
200	60	332	22,56	20,27	12,43	8,47	24,84	37,26	73,53	25,43	7,65
200	80	371	25,00	23,51	16,54	11,30	28,22	42,00	78,99	27,19	8,33
200	100	411	27,50	30,12	20,56	14,96	30,99	43,50	83,30	28,91	9,01
200	120	451	30,00	32,91	19,89	16,36	33,88	49,02	89,61	35,32	11,34
250	20	304	20,81	19,77	10,87	7,71	20,41	30,50	69,89	24,38	6,47
250	30	318	21,68	19,50	11,96	8,17	24,40	35,68	71,71	24,90	7,44
250	40	345	23,37	21,06	14,90	10,19	26,10	38,64	75,55	25,93	7,84
250	50	364	24,56	23,21	16,47	11,25	27,65	40,42	77,76	26,95	8,25
250	60	385	25,87	28,38	19,55	13,50	29,03	42,46	80,81	27,77	8,54
250	80	424	28,31	31,31	21,80	15,66	31,54	45,41	84,92	29,47	10,76
250	100	464	30,81	33,82	24,67	16,91	34,65	50,73	92,14	36,23	11,63
250	120	504	47,64	44,31	33,94	24,41	43,70	68,94	123,67	46,59	15,44
250	140	542	51,03	65,91	37,49	25,83	48,13	75,18	134,73	51,27	16,38
315	20	364	24,56	28,35	15,67	11,90	27,65	40,42	77,76	26,95	8,25
315	30	385	25,87	28,38	19,55	13,40	29,03	42,46	80,81	27,77	8,54
315	40	411	27,50	30,12	20,56	14,96	30,99	43,50	83,30	28,91	9,01
315	50	424	28,31	31,31	21,80	15,66	31,54	45,41	84,92	29,47	10,76
315	60	464	30,81	33,82	24,67	16,91	34,65	50,73	92,14	36,23	11,63

Air condition and ventilation claddings

Material aluminium sheet metal EN 3103H16

Duct outer diameter	Insulation thickness	Cladding outer diameter	pipe €/m	1 x D elbow 90 €/pc	1 x D elbow 45 €/pc	1 x D elbow 30 €/pc	reduction central €/pc	reduction eccentral €/pc	t-piece €/pc	t-connection €/pc	end cap €/pc
315	80	491	32,50	34,58	26,43	17,88	36,17	53,56	98,67	37,65	12,08
315	100	527	49,69	55,45	36,71	24,47	46,42	72,77	130,17	48,33	16,01
315	120	567	53,27	70,12	39,45	27,18	50,20	80,14	179,93	53,99	17,01
315	140	607	56,84	75,01	42,06	28,97	53,71	85,90	191,22	57,44	24,14
400	20	451	30,00	39,04	19,69	16,95	33,88	49,02	89,61	35,32	11,34
400	30	470	31,18	44,30	25,46	17,48	35,22	52,05	94,14	36,65	11,71
400	40	491	32,50	46,25	26,83	18,42	36,17	53,56	98,67	37,65	12,08
400	50	512	48,36	63,56	35,59	24,52	44,91	69,75	125,50	47,17	15,58
400	60	542	51,03	65,91	37,49	25,64	48,13	75,18	134,73	51,27	16,38
400	80	572	53,71	70,90	39,89	27,48	50,76	82,07	181,67	54,92	17,16
400	100	612	57,28	75,37	42,40	29,21	54,66	87,79	195,21	60,44	24,34
400	120	652	60,86	80,57	45,24	31,16	59,58	93,79	204,29	64,84	25,77
400	140	692	64,43	84,80	47,85	32,97	64,30	99,27	213,42	69,14	27,14
500	20	567	53,27	68,43	36,35	26,02	50,20	80,14	179,93	53,99	17,01
500	30	572	53,71	70,90	39,89	27,48	50,76	82,07	181,67	54,92	17,16
500	40	592	55,50	73,17	41,18	28,36	52,96	83,96	186,10	56,65	23,66
500	50	612	57,28	75,37	42,40	29,21	54,66	87,79	195,21	60,44	24,34
500	60	642	59,96	78,35	44,00	30,30	58,35	92,18	199,70	63,25	25,23
500	80	672	62,91	82,64	46,65	32,13	61,94	96,53	208,71	66,99	26,45
500	100	712	66,42	86,97	48,84	33,65	66,57	106,77	219,74	72,23	27,82
500	120	752	69,99	91,78	51,60	35,55	70,93	112,77	226,55	76,61	29,19
500	140	792	73,56	96,09	54,05	37,25	74,18	118,53	255,94	118,01	30,56
630	20	692	64,43	106,00	66,78	37,46	64,30	99,27	213,42	69,14	27,14
630	30	702	65,52	118,15	80,63	55,91	65,25	105,40	216,66	71,01	27,48
630	40	722	67,31	122,18	83,23	57,70	67,39	108,42	222,63	73,45	28,16
630	50	742	69,10	124,88	85,05	58,97	69,04	111,40	223,48	75,79	28,85
630	60	768	71,42	129,93	88,55	61,01	71,99	115,51	235,53	78,69	29,59
630	80	802	74,66	135,76	92,99	64,63	76,32	120,71	264,71	120,03	30,96
630	100	842	78,23	141,11	96,02	66,57	81,50	126,84	270,39	123,91	32,21
630	120	882	81,80	147,35	100,34	69,58	87,92	130,62	279,69	127,62	33,57
630	140	922	85,37	156,52	107,08	74,19	93,12	137,19	290,99	133,52	38,21
630	160	962	88,94	163,05	111,34	77,14	99,73	143,75	302,30	139,42	40,93
800	20	852	79,12	172,74	90,00	52,46	83,57	127,35	272,90	125,61	32,55
800	30	872	80,91	185,44	99,24	68,81	86,18	128,69	276,67	127,26	33,17
800	40	892	82,69	189,17	101,19	70,17	90,28	132,80	282,99	130,01	33,91
800	50	912	84,48	194,92	104,73	72,60	92,65	135,25	287,58	131,96	37,59
800	60	940	86,98	200,58	108,12	74,92	94,92	140,21	294,29	134,22	38,84
800	80	975	90,10	209,24	112,50	77,95	103,05	147,91	305,25	140,90	41,76
800	100	1012	94,64	222,01	119,32	82,69	105,87	150,36	312,50	143,91	45,41
800	120	1052	98,21	229,74	123,21	85,40	112,94	155,88	347,55	147,98	48,13
800	140	1092	101,78	237,33	127,28	88,23	121,67	163,02	358,50	155,42	51,76
800	160	1132	105,35	245,13	131,50	91,17	128,52	168,78	369,28	160,76	55,33
1000	20	1052	98,21	322,13	123,21	85,40	112,94	155,88	347,55	147,98	48,13
1000	30	1072	99,99	333,05	125,32	86,87	118,89	160,56	353,47	153,46	50,17
1000	40	1092	101,78	338,76	127,28	88,23	121,67	163,02	358,50	155,42	51,76
1000	50	1112	103,57	344,68	129,39	89,70	125,31	166,60	364,00	157,95	53,43
1000	60	1132	105,35	350,24	131,50	91,17	128,52	168,78	369,28	160,76	55,33
1000	80	1172	108,92	361,87	135,57	93,99	134,94	173,97	379,99	165,53	59,52
1000	100	1212	112,49	375,93	141,94	98,37	141,73	179,50	389,44	170,73	64,47
1000	120	1252	116,07	389,75	147,65	102,28	146,55	184,28	398,11	174,95	68,58
1000	140	1292	119,64	401,25	151,89	105,24	150,97	188,08	505,56	179,17	73,78
1000	160	1332	123,21	402,62	156,31	108,29	155,79	192,76	518,14	183,81	79,61
1250	20	1302	120,53	405,26	171,15	115,04	153,69	189,35	507,50	180,42	74,41
1250	30	1322	122,32	413,36	216,49	150,42	154,47	191,39	513,55	182,83	77,57
1250	40	1342	124,10	416,80	219,71	152,65	157,11	194,13	521,61	185,35	82,21
1250	50	1362	125,89	422,67	222,91	154,88	159,80	196,32	528,52	188,16	85,66
1250	60	1382	127,67	428,49	226,01	157,03	161,97	198,26	534,93	189,99	88,83
1250	80	1422	131,24	440,65	232,44	161,50	166,59	202,41	547,68	194,49	92,73

Air condition and ventilation claddings

Material aluminium sheet metal EN 3103H16

Duct outer diameter	Insulation thickness	Cladding outer diameter	pipe €/m	1 xD elbow 90 €/pc	1 xD elbow 45 €/pc	1 x D elbow 30 €/pc	reduction central €/pc	reduction eccentral €/pc	t-piece €/pc	t-connection €/pc	end cap €/pc
1250	100	1462	134,82	452,70	238,80	165,91	170,46	205,76	556,00	198,30	95,08
1250	120	1502	138,39	464,81	245,19	170,36	174,72	209,52	560,94	202,10	97,37
1250	140	1542	141,96	476,30	251,55	174,77	178,53	212,80	565,08	205,63	99,69
1250	160	1582	145,53	488,77	258,00	179,26	182,62	216,36	581,38	209,94	102,01

NOTE! Prices are valid with minimum order 5 pieces/product.

VAT 0 %.

Pricing policy for pipe claddings which are cut to a specific length according to order:

Length under 500 mm, increase +25% compared to standard price

Length 500 - 1000 mm, increase +35% compared to standard price